

Global Safety Company

Making Your World Safer

GlobalSafetyCo.com

17825 N 7th St, #25
Phoenix AZ 85022
719.761.5814

2017 Safety Catalog



Respiratory | Hand Protection | Head and Face | Safety Eyewear
Fall Protection | Protective Clothing | Hearing and more

Global Safety Company

www.GlobalSafetyCo.com

17825 N 7th St. Phoenix, AZ 85022

(719) 761-5814

Table of Contents

Being your complete source means more than just offering you a full line of safety equipment — it also means we will provide you with the knowledge and tools to select the right product, for the right application, at the right price.



New Products _____ 2 - 19

PPE Safety Products _____ 20 - 221

Eye Protection _____	22 - 51
Head & Face Protection _____	52 - 63
Hearing Protection _____	64 - 79
Respiratory Protection _____	80 - 95
Hand Protection _____	96 - 141
Welding & FR Safety _____	142 - 151
Footwear _____	152 - 159
Ergonomics _____	160 - 163
Fall Protection _____	164 - 185
Water Safety _____	186 - 191
Protective Clothing _____	192 - 205
Cold Weather Gear _____	206 - 215
Hi-Viz Apparel _____	216 - 221

Plant & Workzone Safety Products _____ 222 - 259

Lighting _____	224 - 229
Instrumentation _____	230 - 233
Confined Space _____	234 - 237
Heat Stress _____	238 - 241
First Aid _____	242 - 243
Showers & Eyewash _____	244 - 249
Lockout/Tagout _____	250 - 251
Wipes & Cleaners _____	252 - 253
Sorbents _____	254 - 255
Hazardous Storage _____	256 - 259
Resources & Index _____	260 - 272

As you find the safety products you need within our catalog, keep a lookout for helpful information to guide you along the way.



For Your Information icons provide you with generalized (non-regulatory) information about associated products.



Cross References will direct you to another page and can help you find related products throughout our catalog.



Shipping icons indicate products that require shipping directly from the manufacturer.



Stock icons indicate a specific SKU's availability. Non-stock item. Minimum quantity may apply.

New Products



9435 Remote Area Lighting Systems

Battery-powered, safety-approved handheld remote area light. Made with polycarbonate body. Features 1,500-lumen output on high, 750-lumen output on low and up to 10 hours of run time. Closed dimensions: 7.87" W x 15.75" L x 9.06" H. Extended mast height: 32.28". Powered by (1) NiMH battery (included) with battery level indicator. Certifications: RoHS Compliant, CE Approved, Class I, Division 2, IECEx ic, ATEX Zone 2 Orange.

PAGE
224



9435



2380R



2380R Tactical Flashlight

Features slide-beam technology, USB recharge-ability and full battery level indication. Offers high performance LED lamp, multiple modes (high, strobe, low) and high carbon steel clip. Provides up to 25 hours of run time, 305-lumen output on high and 30-lumen output on low. Powered by (2) CR-123 disposable, rechargeable batteries (included). Lifetime warranty. 6.48" Length. Black.

PAGE
226



SabreLite™ 2010 LED™ Flashlights

Made with durable, lightweight EXL body. Produces white collimated beam as bright as incandescent light. Twist on/off lens shroud eliminates accidental discharge. Features submersible design, 161-lumen output and 22-hour run time. Powered by (3) C alkaline batteries (included). Lifetime warranty. 8.11" Length.

PAGE
228



2010C-BLK



**PAGE
227**

3310ELS



3310ELS Emergency Lighting Station

Features self-contained glowing beacon and flashlight that's easy to locate in the dark. Made with photoluminescent polycarbonate body, polycarbonate lens and high/low/flashing modes. Housed in clear tamper-proof case that mounts to wall, making it highly visible during a power outage. Offers 234-lumen output, up to 202 hours of run time and IPX7 waterproof design. Powered by (3) AA alkaline batteries (included). Lifetime warranty. 6.14" Length.



2745

**PAGE
228**



2745 LED Headlamp

Made with polycarbonate body, lens and shroud. Features ultra-compact and lightweight design, provides 33-lumens and up to 40 hours of run time. Offers multiple modes including high, low and flashing. Includes cloth and rubber head straps as well as center mount adhesive helmet clip. Class I, Division 1 certified. Powered by (3) AAA alkaline batteries (included). 2.25" Length.



**PAGE
137**



Ironclad® Motor Grip Gloves

Features Diamonclad® silicone-fused palm, terry cloth sweat wipe, TPR cuff puller, TPR Velcro® wrist closure and neoprene knuckle impact protection.



KONG® Original Gloves

The original oil and gas glove features KONG metacarpal and knuckle protection and exclusive palm material. Features hi-viz palm, extended neoprene cuff and ID tag.



**PAGE
140**



**PAGE
110**



Knit Cut 3 Gloves

Features polyethylene cut-resistant yarn with polyurethane-dipped palm. Ideal for tool pushing, construction and mining. Safety yellow. EN388 level 3.



**PAGE
138**

Hi-Viz Utility Gloves

Features EXO-embossed palm, suede cuff puller and terry cloth sweat wipe. Hi-viz color and reflective accents for safety and visibility.



EXO-HSO



Industrial Impact Rigger Cut 5 Gloves

Features Duraclad reinforced palm for grip and Airprene cuff for snug fit. Extra impact protection on fingers, thumb, knuckles and metacarpal bones for maximum coverage. Reflective fabric offers nighttime visibility. ENN388 cut level 5 palm liner. Ideal for heavy industrial environments, oil extraction, refining, mining and rigging.



**PAGE
111**

INDI-RC5



3590543

**PAGE
177**



Rebel™ Self-Retracting Lifelines

Lightweight, compact and durable. Safer than traditional lanyards due to retractable technology to ensure falls are stopped within a few inches. Durable thermoplastic housing on both web and cable models incorporates a swiveling anchorage ring, allowing for ultimate functionality in heavy-use environments. Unique speed-sensing brake keeps forces to a minimum and reduces clearance requirements. Web models feature unique, thin webbing that enables a compact size with a load capacity of 310 lbs. Galvanized steel cable models feature a maximum arresting force of 900 lbs. and support capacity of 420 lbs. and 5 mm cable diameter. Hooks have 3,600-lb. gate compliance. Two year warranty, no annual re-certification required. Meets all applicable OSHA, ANSI and CSA standards and requirements, including ANSI Z359.1.



**PAGE
171**



ExoFit STRATA™ Construction Style Positioning Harnesses

1112536 Features LIFTech™ weight distribution system, Repel™ webbing, built-in lanyard keepers that automatically reset, impact indicator, integrated suspension trauma straps, customizable name tag, and label protectors. Includes PolarMesh™ back pad, EZ-Link™ SRL adapter, Revolver™ quick-connect leg straps, Revolver vertical torso adjusters, stand-up Tech-Lite™ aluminum back and side D-rings, and body belt/hip pad with thermoformed EVA padding. i-Safe™ enabled with RFID technology.



**PAGE
126**



Heavy-Duty Drivers Gloves

Top-grain cowhide palm with added split leather, index finger and thumb reinforcement. Palm-sewn with Kevlar® for strength and heat resistance. Features wing thumb and elastic on cuff for snug fit. Unlined for maximum dexterity.

1464



**PAGE
128**



1470 TrueFit™ Goatskin Performance Gloves



Top-grain goatskin construction for dexterity. Features spandex back for precision fit, reinforced thumb and elastic cuff with hook-and-loop closure. Rough side out and double palm provide longer life and better gripping power. Smooth surface fingers for improved handling. Top-grain leather side bolsters provide additional protection for side surface work. Finger tips covered in leather for heavy wear area protection. Not designed for welding. 72 Pr/Cs.

1470

TrustFit™ Pod Push-In Foam Earplugs

Push-in foam earplugs designed with an ergonomic stem and dimpled foam tip so they are easy to fully insert and remove without picking up dirt from workers' fingers, and comfortable to wear during the work day. Meets ANSI S.3.19-1974.

TRUSTFITPOD-1



N10R020000

Honeywell

North Zone™ Hard Hats

Contemporary high density polyethylene (HDPE) shell design with 4 large areas for custom logo imprinting or other personalization options. Features slots for cap-mounted earmuffs, faceshields and other PPE accessories, removable and replaceable rear comfort cradle, 3-level height adjustment (Low, Medium, High), and ergonomic headband for easy adjustment to 3 different sizes (S, M/L and XL). Includes moisture-wicking, breathable sweatband that is easily removable, washable and replaceable. Meets ANSI Type I, Class C, G and E requirements.

Thunder® for North® Hardhats

Features sleek design and easy height adjustment. Lower profile cups attract less dirt for better hygiene. Ear cups snap in place during use and swing back when not in use.



EM2177-HL

EM4157-HL





**PAGE
239**



Instant Wide Base Shelter

Quickly put up some shade that stays stable in all kinds of conditions. Made of rugged Polyguard 2X™ double-thick fabric with UVGuard™ material for 50+ UPF protection. Features telescoping poles with Comfort Grip™ technology, and wide slanted legs with large feet that can be stepped on for easy setup. Includes ground stakes, pre-attached guy lines and wheeled carry bag for easy storage and transport. 12' x 12' Tent provides 100 sq. ft. of shade.



**PAGE
239**

5-Gal. OSHA Beverage Cooler

Cooler includes cup dispenser and insulated case to keep drinks cold. Features Comfort Grip over-molded handles, easy-to-use faucet and antimicrobial liner. ANSI color and reflective accents meet OSHA compliance.



3000004064



TD200-HVY



**PAGE
238**

Wicking and Cooling Products

Comfortable, soft hand, lightweight fabric helps reduce effects of heat stress. Skull caps feature tie-back to ensure close fit to the head. Bandanas and towels can be worn multiple ways or used to wipe down. 23% More cooling power than microfiber.

TD400-NAVY

DuPont
Personal Protection

**PAGE
196**

DuPont™ ProShield® 50 Coveralls

Suitable for protection against non-hazardous particles, light liquid splash and aerosols in many industrial applications. Made with microporous film that is laminated to spunbonded polypropylene substrate. Features serged seams. Applications include: janitorial, sanitation and general industrial maintenance. White.



NB120SWH4X002500



**PAGE
45**



S1201SGAF-KT



3M

**3M™ Solus™
1000-Series**

3M™ Solus™ 1000 series protective eyewear features Scotchgard™ Anti-Fog lens coating which withstands disinfection with diluted bleach soaking or alcohol wipes without losing its anti-fog performance. Kit includes optional elastic strap and removable foam gasket.

MOLDEX



**PAGE
83**

2-Strap Respirators

Dura-Mesh® shell protects the filter media so that it stays cleaner-looking longer. Shell resists collapsing, even in heat and humidity. Softspun® lining gives added comfort and durability. Contour molded nosebridge with a soft foam nose cushion for an easy comfortable fit. Optional exhale valve reduces hot air buildup, reducing breathing resistance and keeping workers cooler longer. Optional carbon layer helps filter out nuisance levels of ozone and organic vapors, or nuisance levels of acid gases (less than OSHA PEL). All meet heat and flame resistance in accordance with ANSI/ISEA 110-2003, Section 7.11.1.

2300N95



2200N95

**PAGE
141**



Electric Service Gloves, Class 0

Protects up to 1000 Volts AC/1500 Volts DC. Features 12" length for added protection. Must be worn with leather protector gloves. Electric Service gloves are Class 0, Type 1 and made with natural rubber. Meets or exceeds ASTM D120-09 specifications.



6417



25627

25631



Jackson Safety* V10 Element* Safety Eyewear

Lightweight, popular styling with an economical price. Metal-free design with screw-less hinges. Base curve 10 lenses are made of a polycarbonate material that provides 99.9% UVA/UVB/UVC protection. Meets ANSI Z87.1+ requirements for high-impact protection. Product complies with the Trade Agreements Act.

**PAGE
47**



25676

**PAGE
46**



Jackson Safety* V30 Nemesis* Safety Eyewear

Sporty, flexible, and lightweight design for comfort and compliance. Enhanced nosepiece design with integrated ridges to divert sweat. Hardcoated lenses for scratch resistance and longer life. Every pair includes a neck cord for reduced risk of damage when not being worn. Comes with a gravity feed display box. Base curve 8. Nemesis* S fits a smaller, slimmer head without adjustments with a base curve 8.25. Nemesis* Polarized has superior polarized-lens technology to reduce eye stress and fatigue caused by excessive glare. Meets ANSI Z87.1+ requirements for high-impact protection. Lenses are made of a polycarbonate material that provides 99.9% UVA/UVB/UVC protection. Product complies with the Trade Agreements Act, except for Nemesis* Polarized.



N-Ferno® 6821 Fleece Balaclava

Features 340 g stretch polyester fleece for warmth and comfort. Reflective accent for higher visibility. Universal. Black.

16821

**PAGE
54**



**PAGE
41**



DM1310P



Dominator™ DM3

Designed to provide solution-based eyewear protection. Features wire core, independently adjustable nose pads. Available with MAX3™ scratch-resistant coating which provides three times greater scratch resistance, MAX6™ anti-fog coating which is proven to provide six times greater fog-resistance and dissipation, or BOSSMAN™ mirror lens coatings. Offers co-injected TPR wire core adjustable nose pads and temples for complete adjustability. Available in 4 frame options; Gun Metal/Red TPR, Clear/Blue TPR, Black/Black TPR, or Yellow/Blue TPR. Meets or exceeds Z87+ and Military High Velocity Impact standards. Includes cord and cleaning case.



**PAGE
175**

Latchways Mini Personal Fall Limiters

Compact and lightweight self-retracting lanyard uses multiple spring radial energy-absorbing technology. Eliminates the need for an external energy-absorber outside of housing. Features aluminum swivel carabiner and top steel carabiner (single leg only). Twin-leg version is available when dual connection is needed for 100% tie-off.



63011-00C

63111-00C



PAGE
165

MSA
The Safety Company

Gravity® Harness

Curvilinear Comfort System provides total comfort during use. Integral belt and comfortable saddle assist with support, position, restraint and climb movements. Teflon® fabric protected webbing resists water, oil, grease and dirt. Uses a special urethane web coating to resist stains and wear and tear that are common when working in dirty environments. Rated to a 400-lb./180 kg capacity. Suitable for controlled descent, positioning, ladder climbing, rescue, and fall arrest. Includes load-indicator to alert when the harness has been involved in a fall event. Meets all applicable OSHA, ANSI and CSA standards and requirements, including ANSI Z359.1.

10155875



11-927

PAGE
106



Ansell

HyFlex® 11-927 Medium-Duty Oil-Repellent Gloves

RIPEL® Liquid Repellence Technology provides oil repellence without compromising flexibility. Unique 3/4-dip geometry provides added protection against oil exposure and knuckle abrasion. Industry leading wet and oil grip, ANSELL GRIP Technology®, uses microscopic channels to wick away oil and moisture. Features HPPE and nylon-plaited liner and elasticized knit cuff. ANSI abrasion level 4 and ANSI cut level 2.

Ansell

ActivArmr® 97-120 Gloves

Features 15-gauge Spandex® polyester liner with neoprene nitrile coating for increased comfort and dexterity. Impact protection reduces potential injury. Intercept™ Technology provides cut protection. Outstanding mud-oil grip plus cut and impact resistance protects hands in extreme conditions, reducing fatigue and increasing productivity. Hi-viz color increases awareness of location of users' hands for safety. Ideal for reworking tools, running cables, handling pipes and assembly of motors. EN 388 4242.

**PAGE
136**



97-120



Hydroblast HB2 Goggles

Features solution-based protection, TPR seal and 7-point ratchet action. Offers vented and dielectric design. MAX6™ provides anti-fog coating. Available with adjustable hook-and-loop elastic strap or adjustable rubber strap. Meets ANSI Z87+ standards.

**PAGE
27**



HB1210PF



Luminator® FR Class 2 Breakaway Vest

Made of GlenGuard® solid lime modacrylic/aramid blended fabric with 2" silver FR reflective stripes. Features 5-point hook-and-loop for breakaway and D-ring access for fall protection harness. Arc rating: 5.4 cal/cm², HRC1. Meets ASTM F1506 and NFPA 70E. ANSI/ISEA 107-2015 Class 2, Type R compliant.

**PAGE
218**



FRMBC2LXL



**PAGE
49**



PS0110ID

RADIANS Passage Eyewear

Features lightweight frame, flexible temples with rubber temple pads and seamless one piece design. Polycarbonate lens provides impact resistance. Provides 99.9% protection against harmful UV rays. Meets ANSI Z87.1 standards.



**Emperor Penguin®
Winter-Lined
Nylon Gloves**

**PAGE
212**

Waterproof winter gloves feature 15-gauge shell with a soft, brushed 10-gauge insulated acrylic liner. Closed cell nitrile dip is available in full palm-dip or 3/4 sandy latex palm dip. Hi-viz yellow.

3398DNY



**PAGE
176**

**Honeywell Miller DuraSeal™
Sealed Self-Retracting
Lifelines**

Designed to perform in the harshest environments including onshore and offshore oil and gas, mining and petrochemical. Prevents contaminants from entering unit with the highest industry-rated sealed technology IP69K. Built-to-last reusable brake design withstands multiple falls and is corrosion-resistant. The sealed technology, reusable brake system, field replaceable lifeline and corrosion resistant materials keep the product in the field to lower cost of ownership. Includes cable sling, tagline and (2) carabiners.

SSRL5061

Honeywell

WorkEasy® Cut-Resistant Gloves

Blend of cut-resistant fibers provides a high-level of cut and abrasion protection. Features a lightweight 13-gauge Spectra® Fiber blend knit shell with PU-coating for excellent dexterity and tactile sensitivity. Offers a consistently high level of mechanical cut protection making it ideal for applications where cut or slash hazards are a high risk. Lightweight glove provides excellent dexterity and tactile sensitivity for small part handling and assembly. ANSI cut level 3/EN388 cut level 5.

**PAGE
109**

WE300



**PAGE
110**



NFD18FRG

Honeywell
NORTH

NORTHFLEX FRGrip™ Plus 5 Gloves

Protect hands in instances of flash fire; Kevlar® brand engineered fibers are inherently flame-resistant and fire retardant. Features lightweight 13-gauge Kevlar shell with neoprene/nitrile and bi-polymer coating on palm and fingertips. Ideal for oil, gas and petrochemical industries, maintenance and manufacturing. Meets ASTM F2675/F2675M-13 Standard.

**PAGE
112**

WELLS LAMONT
Industrial

FlexTech™ Gloves with Sandy Nitrile Palm

Seamless machine knit cut-resistant shell provides all-day comfort and protection. Sandy nitrile palm coating delivers improved grip in wet and oily applications. Machine washable for longer service life. ANSI cut level 5/A7.



Y9216



Y9296

WELLS LAMONT
Industrial

**PAGE
112**

VisTech™ Hi-Viz Nitrile Palm-Coated Gloves

Made of high performance cut-resistant fibers and stainless steel with nitrile-coated palm. ANSI cut level 4/A4.

MOLDEX



**PAGE
72**

Glide® Foam Twist-In Earplugs

Unique multi-curved stem rotates for a custom fit inside each ear canal. Features large handle on curved stem and hygienic, no-roll design. Cord can be attached at any desired length. NRR 30.



6940

6945



35-6375

MAJESTIC
RELIABILITY IN SAFETY

**PAGE
106**

Cut-Less Watchdog® Nitrile-Coated Gloves

Features High Performance Polyethylene (HPPE) with sandy nitrile dip over closed-cell nitrile. Seamless knit design and long knit cuff for secure fit. Pre-curved to minimize hand fatigue.



**PAGE
144**

3M™ Speedglas™ 9100 Welding Helmets

Available with (3) auto-darkening filters (ADFs) in different sizes with built-in mag plate holder. Sensitivity adjustment for use with all Stick, MIG and TIG processes. Also has grinding and torch cutting modes. Headgear features flexible head suspension and extended coverage of vulnerable areas, such as the ears and neck, making helmets comfortable and versatile. Available with SideWindows with replaceable covers that allow for enhanced peripheral and downward viewing, reducing the “tunnel vision” effect. Each starter kit includes (5) outside protection plates, (2) appropriately sized inside protection plates and a sweatband.



9100



Helmet lens options:

- Speedglas™ 9100X, dark Shades 8-13; 9.12 sq. in. viewing area
- Speedglas™ 9100XX, dark Shades 8-13; 12.11 sq. in. viewing area



**PAGE
148**

750



750 Stick Welders Gloves

Premium top-grain elkskin gloves feature reinforced thumb, lock stitching with Kevlar® thread and welted fingers protect seams, unlined palm for added dexterity. Cotton/foam-lined back offers added heat protection and 14" length enhances safety. Pearl. 48/Cs.



**PAGE
221**

Hi-Viz Vests with Chainsaw Striping

Mesh vest with chainsaw designed silver reflective stripes over contrasting color. Features heavy-duty zipper closure, multiple large pockets, clear ID holder, (2) mic tabs and black bottom to conceal dirt. Meets ANSI/ISEA 107-2015 Class 2, Type R standards.

75-3239



75-3240

Cut-Less Diamond® Gloves with Dyneema®

Made with Dyneema Diamond Technology with soft gray polyurethane palm coating for increased dexterity and grip in industrial applications. Features long knit cuff for more secure fit and increased cut protection. Pre-curved finger design to minimize hand fatigue. ANSI cut level 2.

37-1300



Predaflex™ Supported Dipped Gloves

Features a 100% cotton brushed interlock liner and fully-coated nitrile finish for durability and comfort. Palm is sandy finished for extra grip and abrasion resistance. Shoulder length for outstanding extended protection. Ideal for automotive, biological hazards, commercial fishing, construction and farming.

MG9796



Leather FastFit® Gloves

Made with genuine DuraHide™ for extreme abrasion resistance. Comfortable stretch elastic cuff provides easy on/off flexibility. Form-fitting TrekDry® helps keep hands cool and comfortable. Features anatomically designed 2-piece palm that eliminates material bunching in palm, and pinched fingertip construction for added durability.



LFF-75



**PAGE
117**

Derma-Max™ Nitrile Disposable Gloves

Powder-free 8-mil nitrile exam grade disposable gloves with 12" extended length for added protection. Textured finger tips for increased gripping power. Excellent sensitivity, wear and dexterity. Latex-free. Blue.



6606-40



ECO-IMZ32T-YL

**PAGE
216**



Two-Tone Mesh Vest

Made of 2.95 oz., 100% polyester mesh with 2" silver reflective tape on contrast band. Features zipper front closure, (1) smartphone flap chest pocket with gusset, (1) large inside pocket, (1) inside pencil pocket and (1) mic tab. ANSI 107-2015 Type R, Class 3 compliant. Yellow.

**PAGE
162**

16612



Ambidextrous Single Strap Wrist Supports

Provides light-to-moderate support for office and industrial use. Features reversible hook-and-loop strap for use on either hand. Single layer of neoprene provides a glove-like fit and brings a sense of warmth to affected area. Machine washable. Black.



New Products



DuPont
Personal Protection



Kimberly-Clark
Professional

PPE Safety Products

Personal protective equipment, commonly referred to as “PPE”, is equipment worn to minimize exposure to serious workplace injuries and illnesses. These injuries and illnesses may result from contact with chemical, radiological, physical, electrical, mechanical, or other workplace hazards. Personal protective equipment may include items such as gloves, safety glasses, shoes, earplugs or muffs, hard hats, respirators, coveralls, vests and full body suits.



Bullard



Honeywell
MILLER

Eye Protection

PAGES 22 - 51



Kimberly-Clark
PROFESSIONAL

Head and Face Protection

PAGES 52 - 63



Bullard

Hearing Protection


PAGES 64 - 79



Honeywell
CLEAR

Respiratory Protection

PAGES 80 - 95



MOLDEX

Hand Protection

PAGES 96 - 141



Mechanix Wear

Welding and FR Protection

PAGES 142 - 151



3M

Footwear

PAGES 152 - 159



MACK
BOOTS

Ergonomics

PAGES 160 - 163



OccuNomix

Fall Protection

PAGES 164 - 185



3M
GIF
Fall Protection

Water Safety

PAGES 186 - 191



Protective Clothing

PAGES 192 - 205



DuPont
Personal Protection

Cold Weather Gear

PAGES 206 - 215



OccuNomix

Hi-Viz Apparel

PAGES 216 - 221



MCR
SAFETY