



# Hearing Protection

Exposure to high levels of noise causes hearing loss and may cause other harmful health effects as well. The extent of damage depends primarily on the intensity of the noise and the duration of the exposure.

Visit [www.osha.gov](http://www.osha.gov) for complete details and regulation requirements.

**3M** Science.  
Applied to Life.™

3M Personal Safety Division

## 3M™ E-A-Rfit™ Dual-Ear Validation System



The right fit test.  
Right now.

**E·A·Rfit**™

000067\_2016.8


© 3M 2016. All rights reserved.



# Hearing Protection Styles:

## Disposable Earplugs

Are made of formable material and are designed to be inserted into a person's ear canal, where they expand and conform to the shape of each individual's ear canal.



3M

## Reusable Earplugs


Usually are premolded and made from silicone, plastic or rubber and are available in several different sizes.



Honeywell  
LEGATOR

## Ear Caps

Seal the opening to the ear without entering the ear canal. Similar to band-type hearing protectors, they usually come on a band that can be placed around the neck when the caps are not in use for convenience in work areas with varying noise levels.



Honeywell  
LEGATOR

## Earmuffs

Suppress unwanted noise by completely covering the outer ear.



3M

3M



Honeywell  
LEGATOR

## Communication Headsets

Combine the entertainment benefit of a digital AM/FM radio with advanced sound amplification technology for improved situational awareness.

## Active Noise Canceling Headsets

Use an electronic system to cancel unwanted background noise while at the same time enhancing the quality of audio delivered through the headset.



Honeywell  
LEGATOR



### 3M™ E-A-R™ Classic™ Earplugs

Features moisture- and flame-resistant design. Slow-recovery foam provides comfortable, effective seal while exerting low pressure in ear canal. Classic™ Plus are slightly longer than regular E-A-R™ Classic™ earplugs to fit deeper into the ear canal and provide higher noise reduction. Test compatible with 3M™ E-A-Rfit™ Validation System.



ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
311-1081	665522485	Classic, corded, Econopack (bulk)	29	500 Pr/Bx
312-1082	665572785	Classic, uncorded, Econopack (bulk)	29	1,000 Pr/Bx
◆ 312-1080	665572775	Classic, uncorded, Econopack (bulk)	29	500 Pr/Bx
311-6000	665572765	Classic Soft, uncorded	31	200 Pr/Bx
◆ 311-6001	665574895	Classic Soft, corded	31	200 Pr/Bx
310-1001	665564465	Classic, uncorded, pillow pack	29	200 Pr/Bx
311-1101	665522755	Classic, corded, poly bag	29	200 Pr/Bx
312-1201	665521395	Classic, uncorded, poly bag	29	200 Pr/Bx
310-1101	665572675	Classic Plus, uncorded, pillow pack	33	200 Pr/Bx
311-1105	665573745	Classic Plus, corded, poly bag	33	200 Pr/Bx
390-1000	665564475	Classic, uncorded, Value Pack™ dispenser	29	200 Pr/Bx
391-1001	665521305	Classic, uncorded, One Touch™ refill bottle	29	500 Pr/Btl



### 3M™ E-A-R™ Classic™ SuperFit™ 30 and SuperFit™ 33 Earplugs

Cylindrical shape fits wide range of ear canals. Best fit achieved when plug is fully inserted so no ring is visible. Test compatible with 3M™ E-A-Rfit™ Validation System. 2,000 Pair/case.



ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
<b>Pillow Pack</b>				
310-1009	665572645	SuperFit 30, uncorded	30	200 Pr/Bx
310-1008	665572635	SuperFit 33, uncorded	33	200 Pr/Bx
<b>Poly Bag</b>				
311-1125	665573785	SuperFit 33, corded,	33	200 Pr/Bx



### 3M™ E-A-Rsoft™ FX™ Earplugs

Disposable earplugs feature high-level hearing protection and comfort. Flanged shape allows for easy insertion and effective fit. Test compatible with 3M™ E-A-Rfit™ Validation System. 2,000 Pair/case.



ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
312-1260	665572795	E-A-Rsoft FX, corded	33	200 Pr/Bx
312-1261	665572805	E-A-Rsoft FX, uncorded	33	200 Pr/Bx



### 3M™ E-A-R™ TaperFit™ 2 Earplugs

Features roll-down foam design that expands to fit ear canal and provides low-pressure seal. Bright yellow color aids in compliance checks. Test compatible with 3M™ E-A-Rfit™ Validation System. 2,000 Pair/case.



ITEM #	ORDER #	DESCRIPTION	NRR*	SIZES	UOM
<b>TaperFit 2</b>					
312-1219	665564195	Uncorded	32	Regular	200 Pr/Bx
312-1223	665564445	Corded	32	Regular	200 Pr/Bx
312-1221	665520085	Uncorded	32	Plus	200 Pr/Bx
312-1224	665564455	Corded	32	Plus	200 Pr/Bx



### 3M™ E-A-Rsoft™ Yellow Neons™ and Yellow Neon Blasts™ Disposable Foam Earplugs

Features soft foam that provides low-pressure comfort. Optional breakaway cord keeps earplugs handy. Test compatible with 3M™ E-A-Rfit™ Validation System. 2,000 Pair/case.



ITEM #	ORDER #	DESCRIPTION	NRR*	SIZES	UOM
312-1250	665522765	Yellow Neons, uncorded, poly bag	33	Regular	200 Pr/Bx
311-1250	665572075	Yellow Neons, corded, poly bag	33	Regular	200 Pr/Bx
312-1252	665572295	Yellow Neon Blasts, uncorded, poly bag	33	Regular	200 Pr/Bx
311-1252	665563975	Yellow Neon Blasts, corded, poly bag	33	Regular	200 Pr/Bx



318-1000



### 3M™ E-A-R™ Push-Ins™ Earplugs

Features soft Earform™ tip that expands in ear canal for comfortable seal against noise. Test compatible with 3M™ E-A-Rfit™ Validation System.

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
318-1000	665564225	Push-Ins, uncorded	28	100 Pr/Bx
318-1001	665564235	Push-Ins, corded	28	100 Pr/Bx
318-1002	665564245	Push-Ins, uncorded	28	200 Pr/Bx
318-1003	665573665	Push-Ins, corded	28	200 Pr/Bx



### 3M™ Skull Screws™ Earplugs

Features screw "threads" molded into foam making insertion convenient and easy. No roll-down required. Test compatible with 3M™ E-A-Rfit™ Validation System. 480 Pair/case.



P1301


P1300

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
P1300	665570235	Skull Screws, uncorded	32	120 Pr/Bx
P1301	665521895	Skull Screws, corded	32	120 Pr/Bx



### 3M™ E-A-R™ Express™ Pod Plugs™

Features reusable design with unique pod shape and soft, flexible grip for pushing earplug into position. No touching or roll-down needed for insertion. Test compatible with 3M™ E-A-Rfit™ Validation System. 400 Pair/case.



311-1114

321-2100

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
<b>Express Pod Plugs</b>				
321-2100	665564275	Uncorded w/ blue color grips	25	100 Pr/Bx
321-2200	665574665	Uncorded w/ assorted color grips	25	100 Pr/Bx
311-1114	665572275	Corded w/ blue grips	25	100 Pr/Bx
311-1115	665574975	Corded w/ assorted color grips	25	100 Pr/Bx



312-1208



### 3M™ E-A-R™ E-Z Fit™ Earplugs

Features soft, smooth, low-pressure foam that rolls down easily and expands to fit ear canal. Bright yellow color aids in compliance checks. Test compatible with 3M™ E-A-Rfit™ Validation System. 2,000 Pair/case.

312-1222


ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
312-1208	665520855	E-Z Fit, uncorded	28	200 Pr/Bx
312-1222	665564205	E-Z Fit, corded	28	200 Pr/Bx



340-4003

### 3M™ E-A-R™ UltraFit™ Earplugs

Features triple-flange design that fits a wide range of ear canals. Washable and reusable. Metal detectable version features stainless steel ball in stem and metal detectable cord. Test compatible with 3M™ E-A-Rfit™ Validation System.



340-4004

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
<b>UltraFit</b>				
340-4002	665522775	Corded, carrying case	25	50 Pr/Bx
340-4003	665564285	Uncorded	25	100 Pr/Bx
340-4004	665522475	Corded	25	100 Pr/Bx



### 3M™ Tri-Flange™ Earplugs

Features soft, flexible, translucent flanges that form an effective seal against noise. Test compatible with 3M™ E-A-Rfit™ Validation System. 400 Pair/case.



P3000

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
P3000	665563965	Tri-Flange, corded	26	100 Pr/Bx
P3001	665521905	Tri-Flange, cloth corded	26	100 Pr/Bx

#### ⚠ WARNING

These hearing protectors help reduce exposure to hazardous noise and other loud sounds. **Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury.** For proper use, see supervisor, *User Instructions*, or call 3M in U.S.A. at 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing ear plugs. Failure to do so may result in hearing loss or injury.

\* NRR is the Noise Reduction Rating in decibels (dB). It is the average noise reduction obtained by a group of people wearing a specific hearing protector in a laboratory test. Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in earplug fit and wearing time. It is recommended that the NRR be reduced by 50% for estimating the average amount of noise reduction provided.



## 3M™ E-A-R™ Metal Detectable Earplugs

Test compatible with 3M™ E-A-Rfit™ Validation System.

- **UltraFit™** include stainless steel ball positioned in stem with metal detectable cord. Feature pre-molded, triple-flanged design and require no roll-down or sizing. Comfortable, effective, washable and reusable. Available with metal detectable Econopack cord.
- **Express™ Pod Plugs™** feature easy insertion, paddle-style grips for correct fitting and no roll-down. Packaged in pillow packs.
- **Yellow Neons™** include stainless steel ball encapsulated into foam of the earplug with metal detectable cord. Roll-down required.


ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
311-4106	665574835	Yellow Neons, metal detectable, corded	32	200 Pr/Bx
340-4007	665574985	UltraFit, metal detectable, corded	25	100 Pr/Bx
340-4017	665522155	UltraFit, metal detectable, corded, Econopack	25	200 Pr/Bx
311-1127	665573795	Express Pod Plugs, metal detectable, corded	25	100 Pr/Bx



311-4106

## 3M™ E-A-R™ Caps™ Hearing Protector

3M™ E-A-R Caps™ feature comfortable foam caps on a flexible band block the ear canal opening. Flexible band holds caps in place. Easy to put on and remove.




321-2101

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
321-2101	665574965	E-A-R Caps	17	10/Bx

## 3M™ E-A-R™ Caboflex™ Model 600 Hearing Protector

Features silicone pods that swivel to properly align with and enter ear canal. Band can be worn under the chin for use with hard hats or safety eyewear. NRR 20 (under-the-chin) and NRR 17 (behind-the-head). 100/Case.




320-2001

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
320-2001	665564265	Caboflex Model 600	20/17	10/Bx

## 3M™ Foam Earplugs 1100 and 1110

Made with tapered foam. Can be combined with earmuffs. Test compatible with 3M™ E-A-Rfit™ Validation System. Corded plugs are not for use in the 3M™ Foam Earplug Dispenser.



ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
1100	665511005	Foam Earplugs 1100, uncorded	29	200 Pr/Bx
1110	665511045	Foam Earplugs 1110, corded	29	100 Pr/Bx

## 3M™ No-Touch™ Foam Earplugs

"Hands off the foam" earplugs feature soft purple foam fused with LiveWire stem for easy insertion. No roll-down required. Tapered shape for good seal. Test compatible with 3M™ E-A-Rfit™ Validation System. 400 Pair/case.



ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
P2000	665564415	No-Touch, uncorded	29	100 Pr/Bx
P2001	665563895	No-Touch, corded	29	100 Pr/Bx



391-1004

## 3M™ E-A-R™ One Touch™ Earplug Dispenser

One Touch dispenser allows users to reuse base and dispenser. The base is designed for use as a table top unit or can be wall mounted. Refills available. Features flame- and moisture-resistant design.

ITEM #	ORDER #	DESCRIPTION	NRR*	SIZES	UOM
391-1004	665564005	E-A-Rsoft Yellow Neons refill	33	Regular	500 Pr/Btl
♦ 391-1005	665572935	E-A-Rsoft Yellow Neons refill	33	L	400 Pr/Btl
391-1010	665572255	E-A-Rsoft Yellow Blasts refill	33	Regular	500 Pr/Btl

### WARNING

These hearing protectors help reduce exposure to hazardous noise and other loud sounds. **Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury.** For proper use, see supervisor, *User Instructions*, or call 3M in U.S.A. at 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing ear plugs. Failure to do so may result in hearing loss or injury.

\* NRR is the Noise Reduction Rating in decibels (dB). It is the average noise reduction obtained by a group of people wearing a specific hearing protector in a laboratory test. Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in earplug fit and wearing time. It is recommended that the NRR be reduced by 50% for estimating the average amount of noise reduction provided.



391-0000



### 3M™ One Touch™ Pro Earplug Dispenser

Made from ABS plastic that offers impact resistance, wide temperature tolerance and smooth operation. Features reusable, free-standing or wall hanging dispenser. Built for harsh working environments and repeated use.

ITEM #	ORDER #	UOM
<b>One Touch Pro Dispenser</b>		
◆ 391-0000	665542071	Ea




LS-500



### Leight® Source 500 Earplug Dispenser

Built with heavy-duty anodized aluminum and designed for wall installation. Ideal for large factories and process industries. Holds (500) pairs of Howard Leight single-use earplugs. Can be used with MAX®, Max Lite®, Laser Lite®, Multi Max®, FirmFit® and Quiet® earplugs (not included). 1/Case.

ITEM #	ORDER #	UOM
<b>Leight Source 500 Earplug Dispenser</b>		
LS-500	341501651	Ea



### MAX® Earplugs

Maximum noise-blocking performance in a single-use design. Easy-to-insert contoured shape resists backing out of ear canal, while soft foam delivers long-lasting comfort. Tested to ANSI S3.19-1974.

ITEM #	ORDER #	DESCRIPTION	COLOR	NRR	UOM
MAX-1	341501695	MAX, uncorded, polybag	Coral	33	200 Pr/Bx
MAX-30	341501735	MAX, corded, polybag	Coral	33	100 Pr/Bx
MAX-1S	341592425	MAX, small uncorded, polybag	Orange	30	200 Pr/Bx
MAX-30S	341563415	MAX, small corded, polybag	Orange	30	100 Pr/Bx
MAX-1-USA	341501725	MAX USA, uncorded, polybag	RWB	33	200 Pr/Bx
MAX-30-USA	341501755	MAX USA, corded, polybag	RWB	33	100 Pr/Bx
MAX-LS4	34153956	MAX, uncorded, LS-400 dispenser refill	Coral	33	200 Pr/Bg
MAX-1-D	341501705	MAX, uncorded, LS-500 dispenser refill	Coral	33	500 Pr/Bx



LPF-30




### Max Lite® Earplugs

Smooth, soil-resistant closed-cell foam skin prevents dirt build-up. Features low-pressure polyurethane foam and contoured T-shape. Single-use design. Green. Tested to ANSI S3.19-1974.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
LPF-1	341501595	Max Lite, uncorded, polybag	30	200 Pr/Bx
LPF-30	341501615	Max Lite, corded, polybag	30	100 Pr/Bx
LPF-1-D	341501605	Max Lite, uncorded, LS-500 dispenser refill	30	500 Pr/Bx



LPF-1



SMF-30



### SmartFit® Reusable Earplugs

Reusable earplugs feature Conforming Material Technology™ which uses body heat to adapt triple-flange design to shape of ear canal. Includes HearPack® case. Orange. Tested to ANSI S3.19-1974. 1,000 Pair/case.

ITEM #	ORDER #	NRR	UOM
<b>SmartFit, Detachable Cord, HearPack Case</b>			
SMF-30	341502115	25	100 Pr/Bx



SDT-30




### SmartFit® Detectable Earplugs

Designed for processing industries, detectable earplugs use body heat to adapt to shape of ear canal. Ring on stem and attached cord can be detected by automated equipment. Triple-flange distributes pressure evenly. Packaged in polybag. Tested to ANSI S3.19-1974. 500 Pair/case.

ITEM #	ORDER #	NRR	UOM
<b>SmartFit Detectable, Attached Cord</b>			
SDT-30	341502105	25	100 Pr/Bx

◆ Non-stock item. Minimum quantity may apply.



### Laser Trak® Detectable Earplugs

Disposable, detectable earplugs feature self-adjusting, polyurethane foam and contoured T-shape. Non-ferrous metal grommet is detectable by automated processes. Bright orange/blue color for easy compliance checks. Blue polycord attached. Tested to ANSI S3.19-1974. 1,000 Pair/case.

ITEM #	ORDER #	NRR	UOM
<b>Laser Trak Detectable, Corded, Polybag</b>			
LT-30	341501665	33	100 Pr/Bx



### Multi Max® Earplugs

One earplug, two sizes. Improves individual fit while simplifying inventory. Smooth, soil-resistant skin prevents dirt from penetrating surface prior to insertion. Polyurethane foam expands to fit virtually every wearer. Coral/yellow. Tested to ANSI S3.19-1974. 2,000 Pair/case.



MM-1


ITEM #	ORDER #	NRR	UOM
<b>Multi Max, Uncorded, Polybag</b>			
MM-1	341501785	31	200 Pr/Bx



### Laser Lite® Earplugs

Single-use design features self-adjusting polyurethane foam and contoured T-shape. Vibrant magenta/yellow color for visible protection. Tested to ANSI S3.19-1974.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
<b>Laser Lite</b>				
LL-1	341501475	Uncorded, polybag	32	200 Pr/Bx
LL-30	341501495	Corded, polybag	32	100 Pr/Bx
LL-LS4	341539525	Uncorded, LS-400 dispenser refill	32	200 Pr/Bg
LL-1-D	341501485	Uncorded, LS-500 dispenser refill	32	500 Pr/Bx




LL-30

LL-1



### Quiet® Reusable Earplugs

Reusable earplugs feature patented no-roll-down design, contoured shape and built-in flexible stem for easy handling and fit. Easy to clean for long-term use. Tested to ANSI S3.19-1974. 10 Boxes/case.




QD1

ITEM #	ORDER #	DESCRIPTION	NRR	SIZES	UOM
QD1	341502045	Quiet, uncorded, polybag	26	Regular	100 Pr/Bx
QD30	341502065	Quiet, polycord, polybag	26	Regular	100 Pr/Bx
QD30-RC	341502025	Quiet, polycord, reusable case	26	Regular	50 Pr/Bx



### FirmFit™ Disposable Earplugs

Comfortable, classic style, firm foam earplug provides excellent protection in most medium-to-high noise environments. Distinct warning orange color makes compliance checks easy.



FF-1

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
FF-1	341513915	FirmFit, uncorded in polybag	30	200 Pr/Bx
♦ FF-30	341563965	FirmFit, corded in polybag	30	100 Pr/Bx



### GloPlugz® Earplugs

Features smooth, tapered design which allows for easy insertion. Non-allergenic polyurethane formula is soft and comfortable. Available with a glossy purple cord to make compliance checks easy. Blue.



92202

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
♦ 92202	323327405	GloPlugz, uncorded	31	200 Pr/Bx
♦ 92212	323322125	GloPlugz, corded	31	100 Pr/Bx



## TrustFit™ Pod Push-In Foam Earplugs

Features push-in foam design, ergonomic stem and dimpled foam tip. Meets ANSI S.3.19-1974.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
◆ TRUSTFITPOD-1	341574665	TrustFit Pod, Uncorded	28	100 Pr/Bx
◆ TRUSTFITPOD-30	341574675	TrustFit Pod, Corded	28	100 Pr/Bx
◆ TRUSTFITPOD-1-5	341574685	TrustFit Pod, Uncorded, 5-pr. vending pack	28	125 Pk/Bx
◆ TRUSTFITPOD-30-5	341574695	TrustFit Pod, Corded, 5-pr. vending pack	28	125 Pk/Bx




TRUSTFITPOD-1



## Banded Earplugs

Includes resealable bag with (1) pair replacement pods. QB1(R)HYG® features molded pods that fit inside ear canal and a bell-flared shape for inner-aural protection. QB2(R)HYG® provides supra-aural protection with soft foam pods that rest partially in ear and a flat-arrow shape. QB3(R)HYG® provides semi-aural protection with soft foam oval-shaped pods that rest outside ear. Tested to ANSI S3.19-1974.

ITEM #	ORDER #	DESCRIPTION	COLOR	NRR	UOM
QB1HYG	341501935	Inner-aural protection	Yellow	27	10 Pr/Bx
QB2HYG	341501955	Supra-aural protection	Orange	25	10 Pr/Bx
QB3HYG	341501975	Semi-aural protection	Red	23	10 Pr/Bx
QB200HYG	341501965	Replacement pods for QB2HYG			50 Pr/Bx



QB1HYG



## Fusion® Reusable Earplugs

Reusable earplugs made with FlexiFirm® core for easy insertion and SoftFlange™ design. Four-flange design distributes pressure evenly on ear canal for superior attenuation. Includes HearPack® storage case and detachable cord system. Tested to ANSI S3.19-1974. 1,000 Pair/case.

ITEM #	ORDER #	COLOR	NRR	SIZES	UOM
<b>Fusion, Detachable Cord, HearPack</b>					
FUS30S-HP	341539515	Green/yellow	27	Small	100 Pr/Bx
FUS30-HP	341501385	Blue/yellow	27	Regular	100 Pr/Bx



FUS30-HP



## AirSoft® Reusable Earplugs

Four-flange design uses internal fins to create interlocking, noise-blocking barrier within the ear's air pocket, providing dependable attenuation upon proper insertion. Features firm stem and tapered design. Tested to ANSI S3.19-1974.

ITEM #	ORDER #	DESCRIPTION	NRR	SIZES	UOM
AS-30R	341501315	AirSoft, red polycord, reusable case	27	Regular	50 Pr/Bx
DPAS-30R	341501345	AirSoft, red polycord, polybag	27	Regular	100 Pr/Bx
DPAS-30W	341501365	AirSoft, white nylon cord, polybag	27	Regular	100 Pr/Bx
DPAS-1	341501335	AirSoft, uncorded, polybag	27	Regular	100 Pr/Bx



AS-30R



## Glide® Trio Reusable Earplugs

Unique multi-curved stem rotates for a custom fit inside each ear canal. Simply push and twist to find your fit. Large handle on curved stem for easy insertion and removal. Soft triple flange plug is washable and reusable. Cord can be attached at any desired length. Bright green color is a symbol of Moldex quality. 100% PVC-Free®, like all Moldex products and packaging, for a greener alternative. 4 Boxes/case.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
6445	222264455	Glide Trio reusable, corded	27	50 Pr/Bx



6445

◆ Non-stock item. Minimum quantity may apply.





**MOLDEX**

**Jazz Band® Canal Cap Hearing Protector**

Features optional breakaway cord that hangs around neck when not in use. Soft, PVC-free foam pods cap ear canal providing maximum comfort. Packaged with spare pods. NRR 25 (under-the-chin). Independently tested to ANSI S3.19-1974. 50/Case.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
6506	222265065	Jazz Band hearing protector	25	10 Pr/Bx
6504	222265045	Replacement pods (5 pair) & neck cord	25	Kit



**MOLDEX**

**SparkPlugs® Foam Earplugs**

Features random multi-color swirl design. Made of extra soft, PVC-free foam with a tapered shape that fits snugly and comfortably. Metal detectable version for food processing applications comes with metal detectable cord. Available with PlugStation® dispenser. Tested to ANSI S3.19-1974.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
6604	222200545	SparkPlugs, uncorded	33	200 Pr/Bx
6654	222228235	SparkPlugs, corded	33	100 Pr/Bx
6615	222266155	SparkPlugs, metal detectable, corded	33	100 Pr/Bx
<b>PlugStation with SparkPlugs</b>				
6644	222200591	Uncorded	33	250 Pr/Dsp
6645	222200601	Uncorded	33	500 Pr/Dsp
6880	222268805	Corded	33	150 Pr/Dsp
6881	222268815	Metal detectable, corded	33	150 Pr/Dsp



**MOLDEX**

**Glide® Earplugs**

Unique multi-curved stem rotates for a custom fit inside each ear canal. Large handle on curved stem for easy insertion and removal. Simply push and twist to find your fit. Cord can be attached at any desired length. Washable and reusable. Bright green color is a symbol of Moldex® quality. 100% PVC-Free®, like all Moldex products and packaging, for a greener alternative. 4 Boxes/case.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
6940	222269405	Glide Foam, uncorded	30	100 Pr/Bx
6945	222269455	Glide Foam, corded	30	100 Pr/Bx
◆ 6883	22220003	PlugStation® w/ Glide Foam, corded	30	150 Pr/Dsp



## Meteors® Disposable Earplugs

Foam roll-down earplugs feature a unique undercut shape with a smaller diameter that fits comfortably in narrower parts of ear canal. Larger base ensures proper insertion, fit and removal. 100% PVC-free slow-recovery foam molds with individual contours of ear canal. Available with PlugStation® dispenser. Independently tested to ANSI S3.19-1974.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
6630	222266305	Meteors Small, uncorded	28	200 Pr/Bx
6632	222266325	Meteors Small, corded	28	100 Pr/Bx
6870	222268705	Meteors, uncorded	33	200 Pr/Bx
6970	222269705	Meteors, corded	33	100 Pr/Bx
<b>PlugStation with Meteors</b>				
6634	222266345	Small, uncorded	28	250 Pr/Dsp
6875	222268755	Uncorded	33	500 Pr/Dsp



## Rockets® Reusable Earplugs

Easy-grip handle allows for effortless insertion and air bubble in tip provides cushioned comfort. Soft, flexible flanges provide a superior seal. Each pair includes Pocket-Pak® carrying case. Washable and reusable. Bright blue metal detectable model has metal detectable cord and enclosed metal spring that eliminates any exposed metal. Tested to ANSI S3.19-1974. 200 Pair/case.

ITEM #	ORDER #	DESCRIPTION	COLOR	NRR	UOM
6400	222200465	Rockets, uncorded w/ Pocket-Pak	Purple	27	50 Pr/Bx
6404	222264045	Rockets, corded in poly bag	Purple	27	50 Pr/Bx
6405	222256905	Rockets, corded w/ Pocket-Pak	Purple	27	50 Pr/Bx
6415	222256895	Rockets, metal detectable, corded in poly bag	Blue	27	50 Pr/Bx
6420	222200475	Rockets, w/ cloth cord & Pocket-Pak	Purple	27	50 Pr/Bx
6480	222200485	Camo Rockets, uncorded w/ Pocket-Pak	Camouflage	27	50 Pr/Bx
6485	222200495	Camo Rockets, corded w/ Pocket-Pak	Camouflage	27	50 Pr/Bx



## Goin' Green® Foam Earplugs

Features low-pressure, PVC-free tapered foam for comfortable fit. Available with PlugStation® dispenser. Tested to ANSI S3.19-1974.



ITEM #	ORDER #	DESCRIPTION	NRR	UOM
6620	222200575	Goin' Green, uncorded	33	200 Pr/Bx
6622	222200585	Goin' Green, corded	33	100 Pr/Bx
6646	222200615	PlugStation w/ Goin' Green, uncorded	33	250 Pr/Dsp
6647	222200625	PlugStation w/ Goin' Green, uncorded	33	500 Pr/Dsp



## Comets® Reusable Earplugs

Convenient finger pocket allows for easy insertion, and soft flanges adjust to ear canal to hold earplug in place. Reusable design features soft material and air pocket for a comfortable fit. Tested to ANSI S3.19-1974. 2,000 Pair/case.



ITEM #	ORDER #	DESCRIPTION	NRR	UOM
6490	222200505	Comets, uncorded	25	50 Pr/Bx
6495	222200515	Comets, corded	25	50 Pr/Bx



6600


6650

**MOLDEX**

### Softies® Foam Earplugs

Made from soft, lightweight foam for a comfortable fit. Tapered design provides easy insertion and is shaped to fit even the smallest ear canals. Tested to ANSI S3.19-1974. Orange.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
6600	222200535	Softies, uncorded	33	200 Pr/Bx
6650	222200645	Softies, corded	33	100 Pr/Bx



6455

6450

**MOLDEX**

### JETZ® Reusable Earplugs

Features grip at end of plug stem which makes insertion and removal simple, even when wearing gloves. Soft material and triple flange design gently seals without pressure for all-day comfort. Cord attachment with locking loop helps keep optional braided cloth cord securely in place. Washable, reusable and 100% PVC-free. Independently tested to ANSI S3.19-1974.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
6450	222264505	JETZ, uncorded	27	50 Pr/Bx
6455	222264555	JETZ, corded	27	50 Pr/Bx



6820

6840

**MOLDEX**

### Mellows® Foam Earplugs

Made of soft, extra-light foam. Tapered shape fits easily in ear canal and snugly seals without pressure. Provides maximum foam comfort with appropriate protection for mid- to high-level noise areas. Hi-viz bright orange plug. Non-irritating, 100% PVC-free. Available with PlugStation® dispenser. Independently tested to ANSI S3.19-1974.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
6820	222268205	Mellows, uncorded	30	200 Pr/Bx
◆ 6840	222268405	Mellows, corded	30	100 Pr/Bx
◆ 6846	222268465	PlugStation w/ Mellows, uncorded	30	250 Pr/Dsp
6847	222268475	PlugStation w/ Mellows, uncorded	30	500 Pr/Dsp

**MOLDEX**

### Flip to Listen® Dual Mode Earplugs

Dual mode earplugs that protect wearers from noise and, with a quick flip, also allow better communication when needed. Flip cap allows user to easily switch from a closed position (NRR 24 dB) for protection from continuous noise, to an open position (NRR 4 dB) to communicate or hear. Triple flange design provides maximum comfort for all day wear. Can be easily washed and reused. Includes Pocket-Pak® carrying case and optional cloth cord. PVC-free. 4 Boxes/case.

ITEM #	ORDER #	NRR	UOM
<b>Flip to Listen with Cord and Pocket-Pak</b>			
◆ 6770	222267705	24 closed/4 open	50 Pr/Bx



6770




**MOLDEX**

### Pura-Fit® Foam Earplugs

Features longer design for easy fitting and removal. Soft, PVC-free foam has non-irritating smooth surface. Tapered for easy insertion into any size ear canal. The bright green color is a symbol of Moldex quality. Available with PlugStation® dispenser. Independently tested to ANSI S3.19-1974.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
6800	222268005	Pura-Fit, uncorded	33	200 Pr/Bx
6900	222231035	Pura-Fit, corded	33	100 Pr/Bx
6844	222200701	PlugStation w/ Pura-Fit, uncorded	33	250 Pr/Dsp
6845	222268451	PlugStation w/ Pura-Fit, uncorded	33	500 Pr/Dsp
6882	222268825	PlugStation w/ Pura-Fit, corded	33	150 Pr/Dsp



6800

6900



## 3M 3M™ Peltor™ Optime™ 98 Series Earmuffs

Lightweight earmuff recommended for noise levels up to 98 dBA. Stainless steel headband wires with 4-point suspension help distribute cushion pressure evenly. Liquid foam-filled cushions. 10/Case.

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
<b>Peltor Optime 98 Series</b>				
H9A	665564061	Headband	25	Ea
H9P3E	665564051	Cap-mount	23	Ea

## 3M 3M™ Peltor™ Optime™ 101 Series Earmuffs

Recommended for noise levels up to 101 dBA. Provides attenuation at low and high frequencies. Stainless steel headband wires with 4-point suspension help distribute cushion pressure evenly. Liquid foam-filled cushions provide excellent seal and lower pressure. 10/Case.

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
<b>Peltor Optime 101 Series</b>				
H7A	665570071	Headband	27	Ea
H7B	665570211	Behind-the-head	26	Ea
H7P3E	665564431	Cap-mount	24	Ea



## 3M 3M™ Peltor™ Optime™ 95 Series Earmuffs

Recommended for noise levels up to 95 dBA. Slim design with 2-point suspension exerts lower pressure for comfortable, long-term use. Soft, liquid foam-filled ear cushions provide added comfort and protection. Beige. 10/Case.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
<b>Peltor Optime 95 Series</b>				
H6A/V	665570121	Headband	21	Ea
H6B/V	665570131	Neckband	21	Ea
H6F/V	665521581	Folding	21	Ea



## 3M™ Peltor™ Optime™ 105 Series Earmuffs

Recommended for noise levels up to 105 dBA. Features "double-shell" earcup design (two cups connected via foam inner layer to reduce structural resonances). Designed with wide, softly padded headband and stainless steel headband wires. Liquid foam-filled cushions provide good seal and low surface pressure. Weight: 9.3 oz. Also available in twin cup neckband, cap-mount, and hi-viz headband styles. 10/Case.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
H10A	665564031	Peltor Optime 105 Series, headband	30	Ea
H10B	665570291	Peltor Optime 105 Series, neckband	29	Ea
H10P3E	665522721	Peltor Optime 105 Series, cap-mount	27	Ea
H10AHV	665570111	Peltor Optime 105 Series, hi-viz headband	30	Ea



### ⚠ WARNING

These hearing protectors help reduce exposure to hazardous noise and other loud sounds. **Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury.** For proper use, see supervisor, *User Instructions*, or call 3M in U.S.A. at 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing ear plugs. Failure to do so may result in hearing loss or injury.

\* NRR is the Noise Reduction Rating in decibels (dB). It is the average noise reduction obtained by a group of people wearing a specific hearing protector in a laboratory test. Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in earplug fit and wearing time. It is recommended that the NRR be reduced by 50% for estimating the average amount of noise reduction provided.



### 3M™ Peltor™ X Series Earmuffs

Electrically insulated (dielectric) wire headband on over-the-head models. Features earcup tilt for optimum comfort and efficiency. Twin headband design helps reduce heat buildup with good fit and balance. Wire headband offers comfortable pressure during prolonged usage. Offers ear cushion foam technology for an effective acoustic seal and reliable protection. Spacer design on X3, X4 and X5 models improves attenuation without excess bulk or weight. Despite larger earcups, the X5 is lightweight with excellent balance and comfort; features NRR 31 dB; provide high noise reduction in both standard headband and hard hat-attached models; and unique attenuation from combination of foam in the earcups, cushions and spacer and cup design. 10/Case.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
X1A	665510071	Peltor X1, over-the-head	22	Ea
X2A	665510731	Peltor X2, over-the-head	24	Ea
X3A	665511181	Peltor X3, over-the-head	28	Ea
X4A	665511281	Peltor X4, over-the-head	27	Ea
X5A	665511961	Peltor X5, over-the-head	31	Ea
X5P3E	665521801	Peltor X5, cap-mount	31	Ea



### 3M™ Model 3000 Earmuffs

Three-position earmuff can be worn over-the-head, behind-the-head or under-the-chin. Includes crown strap required for under-the-chin or behind-the-head wear. Features large ear cup openings with foam-filled cushions, replaceable foam cup liners and take-apart assembly. NRR 25 (over-the-head), NRR 26 (behind-the-head) and (under-the-chin). 24/Case.



### 3M™ Model 1000 Earmuffs

Three-position earmuff can be worn over-the-head, behind-the-head or under-the-chin. Includes crown strap required for under-the-chin or behind-the-head wear. Lightweight, durable plastic construction is non-conductive. Features large ear cup openings with foam-filled cushions, replaceable foam cup liners and take-apart assembly. NRR 20 (over-the-head), NRR 22 (under-the-chin) and (behind-the-head). 24/Case.



ITEM #	ORDER #	NRR*	UOM
<b>Model 3000 Earmuffs</b>			
330-3002	665521591	25/26	Ea

ITEM #	ORDER #	NRR*	UOM
<b>Model 1000 Multi-Position Earmuffs</b>			
330-3001	665570081	20/22	Ea



### 3M™ Noise Indicator NI-100

Designed for variable noise environments to help workers identify potentially hazardous noise levels and know when hearing protection devices (HPDs) may be required. Green flashing LED indicates that noise levels are below 85 dB where HPDs may not need to be worn; red flashing LED indicates noise levels are above 85 dB, a potentially dangerous noise level where HPDs may be required. Small, lightweight design (.6 oz.) clips to shirt or jacket and includes a rechargeable battery that operates for up to 200 hours between charges. If not manually powered off, device will automatically power off after approximately 10 hours. Dimensions: 2" L x 1.4" W x 0.5" D. Can be used as an effective training tool within a hearing conservation program (consult OSHA Standard 29 CFR 1910.95) to help ensure workers know when and where to wear hearing protection. 6' USB 2.0 5-pin mini cable connects a computer or USB hub to the 3M Noise Indicator NI-100 for recharging, sold separately. 10/Case.

ITEM #	ORDER #	UOM
<b>Noise Indicator NI-100</b>		
NI-100	665523571	Ea



**WARNING**

These hearing protectors help reduce exposure to hazardous noise and other loud sounds. **Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury.** For proper use, see supervisor, *User Instructions*, or call 3M in U.S.A. at 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing ear plugs. Failure to do so may result in hearing loss or injury.



### 3M™ Peltor™ Digital Worktunes™ Headset

AM/FM and MP3 compatible headset features (5) station presets, seek and scan options and liquid and foam-filled cushions. MP3 cord included. Requires (2) AA batteries (not included). 1/Case.



WTD2600

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
WTD2600	665574761	Peltor Digital Worktunes headset	26	Ea



### 3M™ Peltor™ PTL™ Earmuffs

Features Push-to-listen earmuffs and on/off listening button with fingertip control on one ear cup which activates listening mode for 30 seconds at a time. (Note: The other cup is standard protective style.) Includes liquid and foam-filled ear cushions, easily accessible battery compartment and 4-point headband suspension. AA battery (not included). 10/Case.



H7A-PTL

ITEM #	ORDER #	DESCRIPTION	NRR*	UOM
H7A-PTL	665519711	Peltor PTL Earmuff, Headband	25	Ea



QM24+



### QM24+® Noise-Blocking Earmuffs

Three-position, ultra-lightweight earmuffs weigh only 6 oz. Feature high-visibility red cups, black headband and replaceable muff cushions. Adjustable crown strap provides a secure fit when worn behind-the-head or under-the-chin. Tested to ANSI S3.19-1974. 20/Case.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
QM24+	341502081	QM24+ Noise-Blocking Earmuff	25	Ea



### Thunder® Noise-Blocking Earmuffs

Unique dual-headband offers better positioning and breathability, and non-deforming outer headband minimizes pressure. Dielectric construction withstands use and abuse while protecting workers in electrical environments. Features Air Flow Control™ technology and snap-in ear cushions for easy maintenance. Cap-mounted earmuffs include a pair of adapters for use with most popular hard hats. Tested to ANSI S3.19-1974. 10/Case.

ITEM #	ORDER #	DESCRIPTION	COLOR	NRR	UOM
<b>Headband</b>					
1010928	341536771	T1 Thunder	Green	26	Ea
1010970-H5	341536791	T3 Thunder	Black	30	Ea
<b>Cap-Mount</b>					
1011601	341500541	T1H Thunder	Green	23	Ea
1011602	341500551	T2H Thunder	Dark green	25	Ea
1011603	341500581	T3H Thunder	Black	27	Ea



1010970-H5

1010928

1011602



1010924-H5



### Lightning® Noise-Blocking Earmuffs

Features steel wire construction, padded foam headband and soft ear cushions. Offers Air Flow Control™ technology and snap-in ear cushions. Robust steel construction withstands demanding use, especially in tough environments. Padded foam headband delivers superb comfort with minimal pressure on the head. Telescoping height adjustment remains fixed during use. Tested to ANSI S3.19-1974. 20/Case.

ITEM #	ORDER #	DESCRIPTION	COLOR	NRR	UOM
1010922-H5	341500261	L1 Lightning	Light gray	25	Ea
1010924-H5	341500281	L3 Lightning	Black	30	Ea

◆ Non-stock item. Minimum quantity may apply.



### Leightning® and Thunder® for North® Hardhats

Features sleek design and easy height adjustment. Lower profile cups attract less dirt for better hygiene. Ear cups snap in place during use and swing back when not in use.

ITEM #	ORDER #	DESCRIPTION	COLOR	NRR	UOM
◆ EM7206-HL	341574601	Leightning L3H earmuffs	White	27	Ea
◆ EM4157-HL	341574611	Thunder T1H earmuffs, dielectric	Blue	23	Ea
◆ EM2177-HL	341574621	Thunder T1H earmuffs, dielectric	Red	23	Ea



EM7206-HL



1010926

1010925-H5



### Viking® Noise-Blocking Earmuffs

Flexibility for wearing earmuffs in multiple positions (over-the-head, behind-the-head or under-the-chin). Can be worn with hard hats, faceshields, respirators and other PPE. Features dielectric construction, Air Flow Control™ technology and snap-in ear cushions. Includes elastic headband strap for better positioning. Tested to ANSI S3.19-1974. 20/Case.

ITEM #	ORDER #	DESCRIPTION	COLOR	NRR	UOM
<b>Multi-Position Headband</b>					
1010925-H5	341500291	V1 Viking	Light blue	25	Ea
1010926	341500301	V2 Viking	Dark blue	27	Ea
1010927	341500321	V3 Viking	Black/silver	29	Ea



### SYNC® Electronic Earmuffs

Combines hearing protection, high-fidelity sound, and the ability for individuals to listen to the radio or personal listening devices safely at work. Features padded diamond-patterned headband and reinforced fork slides that keep it in place when worn. 10 Pre-set stations and volume memory can be personalized for each worker. (AM/FM Radio version only). Includes 3.5 mm aux input cable.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
1030110	341561311	SYNC stereo earmuffs	25	Ea
◆ 1030331	341562701	SYNC AM/FM earmuffs	25	Ea



1030110

1030331



6100



### M1 Premium Earmuffs

Features SoftCoat® covering on cups and yoke that help muffle sound transmission. Black-chrome, spring-steel headband resists fatigue, folds into a super-compact size for easy storage and helps maintain stability without twisting out of shape. Offers six different adjustment points. Tested to ANSI S3.19-1974. 10/Case.

ITEM #	ORDER #	NRR	UOM
<b>M1 Premium Earmuffs, Iridescent Cups</b>			
6100	222261001	29	Ea



## Impact® Sport Sound Amplification Earmuffs

Features Air Flow Control technology, snap in ear cushions and aux input. Convenient folding design for easy storage. Low profile earcup with cut-out allow for full clearance of firearm stock, eliminating interference while shooting. Offers ability to hear other shooters and environmental sounds. Non-deforming outer headband and low profile design with cut-out. Ideal for military, mining and law enforcement.

ITEM #	ORDER #	COLOR	NRR	UOM
<b>Impact Sport Sound Amplification Earmuffs</b>				
◆ 1030941	341574631	Camo	22	Ea
◆ 1030942	341574641	Black	22	Ea



## SYNC® Electro® Digital FM Radio Earmuffs

Combines the entertainment benefit of a digital FM radio with advanced sound amplification technology for improved situational awareness. Directionally placed stereo microphones amplify and enhance ambient sound up to 82 dB, allowing workers to hear important communication more effectively. For ambient noise exposures above 82 dBA, the listening circuitry manages speaker volume to a level that does not exceed 82 dBA.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
◆ 1030333	341562721	SYNC Electro	25	Ea

1030333

6130



## MX-5 and MX-6 Earmuffs

Features soft cushion-ribbed open air headband and over-molded headband. Larger ear cushions allow freedom to fit almost all ears comfortably.

ITEM #	ORDER #	DESCRIPTION	NRR	UOM
◆ 6120	222261201	MX-5 earmuffs	27	Ea
◆ 6130	222261301	MX-6 earmuffs	30	Ea
◆ 6125	222261251	MX-5 earmuff hygiene kit, for 6120		Ea
◆ 6135	222261351	MX-6 earmuff hygiene kit, for 6130		Ea



6120



6200



## M2 Multi-Position Earmuffs

Low-profile design can be worn over-the-head, behind-the-head or under-the-chin. SoftCoat® covering helps muffle transmitted noise. Special grips molded into cups make fitting and alignment quick and easy. Cup adjustment is infinitely variable, distributing pressure evenly. NRR 26 (over-the-head). Independently tested to ANSI S3.19-1974. 20/Case.

ITEM #	ORDER #	NRR	UOM
<b>M2 Multi-Position Earmuffs, Iridescent Cups</b>			
6200	222262001	26	Ea

◆ Non-stock item. Minimum quantity may apply.

