



# Welding & FR Safety

By nature, hot work generates a considerable amount of eye and face hazards. One of the most significant is exposure to ultraviolet (UV) and infrared (IR) radiation.

Visit [www.osha.gov](http://www.osha.gov) for complete details and regulation requirements.



## Jackson Safety\* BH3\* Variable Auto-Darkening Filter with Balder\* Technology

Features superior angle of view, enhanced visibility and color recognition, variable Shade 9-13, adjustable sensitivity and opening time delays. Curved front cover plate offers reduced heat build-up, reflections and fogging. Aerodynamic shell designed for better fume deflection. Smooth, rounded perimeter for increased comfort. Offers quick and easy replacement of safety plates. Auto-On ADF is always ready to weld. Meets ANSI Z87.1 High Impact 2010 standard, CE certified.



37191

| ITEM #  | ORDER #   | DESCRIPTION                       | UOM |
|---------|-----------|-----------------------------------|-----|
| ◆ 37191 | C24171911 | BH3* helmet w/ Balder* technology | Ea  |



## Jackson Safety\* NexGen\* Digital Auto-Darkening Filter

Digital controls feature variable Shade 9-13, sensitivity and delay adjustments. Four independent sensors positioned to reduce possibility of blockage during weld. Replaceable Lithium batteries (included) with low battery indicator. Versatile 3-N-1 built-in function: Weld, Torch, Grind. Built-in mag lens holder. Meets ANSI Z87.1 and CSA compliant. Black.



14989

| ITEM #  | ORDER #   | DESCRIPTION                           | UOM |
|---------|-----------|---------------------------------------|-----|
| 14989   | C24116791 | HSL 100 welding helmet w/ NexGen* ADF | Ea  |
| ◆ 16622 | C24118191 | NexGen* ADF replacement cartridge     | Ea  |



## Jackson Safety\* TrueSight\* II Digital Auto-Darkening Filter with Balder\* Technology

Intuitive, digital control panel. Features variable Shade 5-13, sensitivity and delay adjustments. Large, separate buttons with LED indicator for Weld, Torch and Grind modes. Four independent sensors positioned to reduce possibility of blockage during weld. No retainer for easy helmet installation and removal. Two easy-to-replace AAA batteries included with low-battery indicator. Meets ANSI Z87.1-2010 and CSA Z94.3 compliant



29371

30316

30315

| ITEM #  | ORDER #   | DESCRIPTION   | COLOR     | UOM |
|---------|-----------|---|-----------|-----|
| ◆ 29371 | C24128041 | HLX Welding Helmet w/ TrueSight* II Digital ADF w/ Balder* Technology | Black     | Ea  |
| ◆ 30315 | C24128011 | HLX Welding Helmet w/ TrueSight* II Digital ADF w/ Balder* Technology | Serpent   | Ea  |
| ◆ 30316 | C24128021 | HLX Welding Helmet w/ TrueSight* II Digital ADF w/ Balder* Technology | Arc Angel | Ea  |
| 30319   | C24128051 | TrueSight* II ADF Cartridge   |           | Ea  |



## Jackson Safety\* Nitro\* Variable Auto-Darkening Filter

Offers welders outstanding features at an economical price. Features variable Shade 9-13 with sensitivity and delay adjustments. Three independent sensors. Solar-powered. Meets ANSI Z87.1-2010 and CSA compliant.



21931

| ITEM #  | ORDER #   | COLOR | UOM  |
|---|-----------|-------|------|
| <b>Nitro* Welding Helmet with Nitro* Variable ADF</b> |           |       |      |
| ◆ 21931   | C24182301 | Blue  | Ea   |
| ◆ 36633   | C2416633  | Black | 2/Cs |



## Jackson Safety\* 860P Leather Welding Helmet

Features a tough yet pliable leather covering. Ideal for use in overhead welding applications or when working in tight spaces. Meets ANSI Z87.1-2010 and CSA compliant. Red.



14531

| ITEM # | ORDER #   | DESCRIPTION                                   | UOM |
|--------|-----------|---|-----|
| 14531  | C24114391 | 860P Leather helmet w/ 2" x 4 1/4" lift front | Ea  |



14528

14532

14529



### Jackson Safety\* 400 Series Fiber Shell Welding Helmets

Features a lightweight vulcanized fiber shell for comfortable yet cool, heavy-duty welding. Made of 10% recycled fiber content. Not suited for damp environments or overhead welding. Meets ANSI Z87.1-2010 standard. Black.

| ITEM #  | ORDER #   | DESCRIPTION                                      | UOM |
|---------|-----------|--|-----|
| 14528   | C24113691 | 430P Fiber shell helmet, 2" x 4 1/4" lift front  | Ea  |
| ◆ 14529 | C24113931 | 451P Fiber shell helmet, 4 1/2" x 5 1/4"         | Ea  |
| 14532   | C24114101 | 490P Fiber shell helmet, 2" x 4 1/4" quick slide | Ea  |
| ◆ 14527 | C24125321 | 411P Fiber shell helmet, 2" x 4 1/4"             | Ea  |



### Jackson Safety\* 900 Series Passive Welding Helmets

Lightweight with durable, washable thermoplastic shell. Features Shade 10 filter. Meets ANSI Z87.1-2010 standard. Black.

14535



| ITEM # | ORDER #   | DESCRIPTION  | UOM |
|--------|-----------|--|-----|
| 14534  | C24114461 | 930P Passive welding helmet, 2" x 4 1/4" lift front  | Ea  |
| 14535  | C24114471 | 951P Passive welding helmet, 4 1/2" x 5 1/4"         | Ea  |
| 14536  | C24114491 | 990P Passive welding helmet, 2" x 4 1/4" quick slide | Ea  |



### Uvex Horizon™ Safety Glasses

Classic flip-up style offers versatility for workers in unique environments. Shaded lens protects against high-intensity light sources, and clear, impact-resistant polycarbonate lens provides protection against flying particles. Spatula temples with metal core for adjustability. Scratch-resistant hardcoat on lenses for longer life. Meets ANSI Z87.1-2015 High Impact standard. 200/Case.

S213



| ITEM #              | ORDER #   | FRAME | LENS                  | UOM |
|---------------------|-----------|-------|-----------------------|-----|
| <b>Uvex Horizon</b> |           |       |                       |     |
| ◆ S212              | 341531301 | Black | Clear/Shade 3.0 green | Ea  |
| S213                | 341531311 | Black | Clear/Shade 5.0 green | Ea  |

◆ Non-stock item. Minimum quantity may apply.



### Jackson Safety\* HSL Series Passive Welding Helmets

Narrow shell design is perfect for working in tight spaces. Extended front increases throat protection against sparks, slag and other physical hazards. Standard Shade 10 polycarbonate filter plate and cover plates are installed at the factory. Meets ANSI Z87.1-2010 and CSA Z94.3 compliant.



14977

14982

| ITEM #  | ORDER #   | DESCRIPTION   | COLOR | UOM |
|---------|-----------|---|-------|-----|
| 14975   | C24116621 | HSL 100 (4 1/2" x 5 1/4" fixed front)               | Black | Ea  |
| ◆ 14976 | C24116631 | HSL 100 (4 1/2" x 5 1/4" fixed front)               | Blue  | Ea  |
| 14977   | C24116641 | HSL 100 (4 1/2" x 5 1/4" fixed front)               | Red   | Ea  |
| 14978   | C24116661 | HSL 100 (4 1/2" x 5 1/4" fixed front) w/ 187 blades | Black | Ea  |
| 14982   | C24116711 | HSL 2 (2" x 4 1/4" lift front)                      | Black | Ea  |



### Tigerhood™ Thermoplastic Welding Helmets

Provides extended throat protection while blocking fumes and smoke from the face. Molded from Noryl®. Size and shape allow air to circulate, helping to clear any smoke and fumes that seep in and to evaporate perspiration in the perforated sweatband. (If hazardous fumes are present, appropriate respirators must be worn). Molded-in colors eliminate chipping, peeling and fading; and smooth, seamless shell deflects sparks and spatter, reducing the risk of burn through. Exclusive, 3C free-floating headgear with multiple wearing adjustments comfortably accommodates protective spectacles and respirators. Available with Speedy® Loop system for frequent on and off use with protective caps. Fibre-Metal® welding helmets are SEI certified. Comes complete with Shade 10 filter plate installed. Gray.

990GY



| ITEM #  | ORDER #   | DESCRIPTION  | UOM |
|---------|-----------|--|-----|
| ◆ 990GY | 614608331 | Helmet w/ molded-in glassholder, flash barrier, & wide vision 4 1/2" x 5 1/4" lens | Ea  |
| 5906GY  | 614607241 | Helmet w/ molded-in glassholder & 2" x 4" flip up lens                             | Ea  |



### Pipeliner® Passive Filter Welding Helmets

Molded from SuperGlas Plus™, a material formulated for light weight and strength. Provides everything pipe welders need to be safe and productive under the harshest welding conditions. Moisture- and impact-resistant. Will not crack, chip or split. Compact design allows access to areas where there is no room for a standard helmet. Shade 10. White.



110

| ITEM # | ORDER #   | DESCRIPTION  | UOM |
|--------|-----------|--|-----|
| 110WH  | 614605131 | Pipeliner welding helmet w/ 1CR ratchet headgear           | Ea  |
| 110PWE | 347688751 | Pipeliner welding helmet w/ 1CP rubber headband suspension | Ea  |



# 3M

## 3M™ Speedglas™ Welding Helmet with Auto-Darkening Filter 9100XXi

Improved optics deliver more natural color and contrast, which may allow better control of weld puddle, greater precision with set-up and finishing operations, and a simplified work flow. Features improved user interface that is easy to understand, delay function to set the dark-to-light opening time, and ergonomic, adjustable head suspension for increased comfort, helmet stability and weight distribution. Selectable Shades 5, 8-13 and Shade 3 light state. 2.8" x 4.2" Viewing area. Optional silver front panel allows setting modes from outside the helmet. Black.

| ITEM #            | ORDER #   | DESCRIPTION  | UOM |
|-------------------|-----------|--|-----|
| ◆ 06-0100-30iSW   | 665521091 | Speedglas™ Welding Helmet w/ ADF 9100XXi                       | Ea  |
| ◆ 06-0000-30i     | 665521051 | Speedglas™ Auto-Darkening Filter 9100XXi                       | Ea  |
| ◆ 06-0000-30i-KIT | 665534681 | Speedglas™ Auto-Darkening Filter 9100XXi w/ silver front panel | Ea  |

06-0100-30iSW

06-0000-30i-KIT



## Jackson Safety\* V100\* WS Series IRUV Cutting Goggles

Features a 2" x 4.25" IRUV Shade 5.0 lens. Flexible frame with an adjustable elastic strap. Available in a fixed or lift front design. Red.

| ITEM #   | ORDER #   | DESCRIPTION  | UOM |
|--|-----------|--|-----|
| <b>V100* WS Flexible Frame Cutting Goggles</b> |           |  |     |
| ◆ 15991  | C24117711 | V100* WS Flexible frame cutting goggles, fixed front | Ea  |
| 15992  | C24117721 | V100* WS Flexible frame cutting goggles, lift front  | Ea  |

15992

# 3M

## 3M™ Speedglas™ 100 Welding Helmet with Variable Shade Filters

Available with the Speedglas™ 100V filter, which features five user-selectable dark shades, Shade 8 through Shade 12, and a light Shade 3. Filter has three sensitivity settings for Stick, MIG and TIG welding processes: normal- used for most types of welding (both indoors and outdoors), for when other welders are working nearby, and for low-current or stable arc (e.g. TIG) welding. Only recommended for TIG processes down to 10 amps. Black.



07-0012-31BL

| ITEM #       | ORDER #   | DESCRIPTION                     | UOM |
|--------------|-----------|---------------------------------|-----|
| 07-0012-31BL | 665521121 | 3M™ Speedglas™ Black Helmet 100 | Ea  |

# 3M

## 3M™ Welding Helmet 10 with Auto-Darkening Filter 10V

Works well for Stick and MIG welding processes. Features user-selectable dark Shades 10 through 12, with light state of Shade 3. Has two user-selectable sensitivity levels. Viewing area: 1.73" x 3.66". Black.



101121



06-0100-30QR

# 3M

## 3M™ Speedglas™ 9100 Welding Helmets with Hard Hat

Available with (3) auto-darkening filters (ADFs) in different sizes with built-in mag plate holder. Sensitivity adjustment for use with all Stick, MIG and TIG processes. Also has grinding and torch cutting modes. Headgear features flexible head suspension and extended coverage of vulnerable areas, such as the ears and neck, making helmets comfortable and versatile. Available with SideWindows with replaceable covers that allow for enhanced peripheral and downward viewing, reducing the "tunnel vision" effect. Each starter kit includes (5) outside protection plates, (2) appropriately sized inside protection plates, and a sweatband.

Helmet lens options:

- Speedglas™ 9100X, dark Shades 8-13; 9.12 sq. in. viewing area
- Speedglas™ 9100XX, dark Shades 8-13; 12.11 sq. in. viewing area

| ITEM #         | ORDER #   | DESCRIPTION                          | UOM |
|----------------|-----------|--------------------------------------|-----|
| 06-0100-20QR   | 665545831 | Speedglas™ 9100 Helmet w/ ADF 9100X  | Ea  |
| ◆ 06-0100-30QR | 665534671 | Speedglas™ 9100 Helmet w/ ADF 9100XX | Ea  |

### ⚠ WARNING

These welding safety products must be used only by qualified persons trained in their use and maintenance and only in strict accordance with and adherence to the detailed instruction and precautionary statements provided in the instruction manual which accompanies each product. **Failure to comply with these instructions could result in sickness, serious bodily injury or loss of life.**

For proper use of these products read *User Instructions* and Warnings on the package. Any questions concerning proper use should be directed to your supervisor, on-site training specialist, industrial hygienist or 3M Occupational Health and Environmental Safety Division (PSD) Technical Service in the U.S.A. at 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414.



## We Weld America Jacket

Made from flame-retardant, 9 oz., 100% cotton Westex® FR7A® with "We Weld America" color screen print on back. Cool, comfortable and washable. Provides economical protection from sudden flame exposure, light molten splash and sparks during light welding activity. Features snap fasteners. 30" Length. Green.

9030



6900

| ITEM #                        | ORDER #   | SIZES | UOM |
|-------------------------------|-----------|-------|-----|
| <b>We Weld America Jacket</b> |           |       |     |
| 9030L                         | C34117811 | L     | Ea  |
| 9030XL                        | C34122031 | XL    | Ea  |
| 90302X                        | C34117831 | 2XL   | Ea  |
| 90303X                        | C34117841 | 3XL   | Ea  |



## FR Cotton Coveralls

Made from flame-retardant, 9 oz., 100% cotton Westex® FR7A®. Oversized to fit over clothes. Features rugged snap closures, (2) chest pockets, (1) rear inset pocket and (1) front inset pocket. Green.

| ITEM #                           | ORDER #   | SIZES | UOM |
|----------------------------------|-----------|-------|-----|
| <b>Flame-Retardant Coveralls</b> |           |       |     |
| 6900-L                           | C34116041 | L     | Ea  |
| 6900-XL                          | C34121711 | XL    | Ea  |
| 6900-2X                          | C34116211 | 2XL   | Ea  |
| 6900-3X                          | C34116221 | 3XL   | Ea  |

3221



3120



## Leather Cape Sleeves and Bib

Side-split cowhide cape sleeve designed to protect shoulders, upper chest and arms. Features open back for ventilation and soapstone pocket on each sleeve. Sewn with Kevlar® thread throughout. Bourbon brown. Works together with 14" or 20" leather bib with heavy-duty cotton strap and adjustable side-release buckle for easy on/off. Bourbon brown.

| ITEM #                                | ORDER #   | SIZES | UOM |
|---------------------------------------|-----------|-------|-----|
| <b>Side-Split Cowhide Cape Sleeve</b> |           |       |     |
| ◆ 3221M                               | C34105891 | M     | Ea  |
| ◆ 3221L                               | C34105881 | L     | Ea  |
| ◆ 3221XL                              | C34120331 | XL    | Ea  |
| 32212X                                | C34106091 | 2XL   | Ea  |
| <b>Side-Split Cowhide Bib</b>         |           |       |     |
| 3120                                  | C34105791 | 20"   | Ea  |



## Leather Aprons

Side-split cowhide leather sewn with Kevlar® thread throughout. Bib aprons feature (2) chest pockets and back straps with side-release buckles. Bourbon brown.

| ITEM #   | ORDER #   | SIZES     | UOM |
|--|-----------|-----------|-----|
| <b>Waist Apron with Heavy-Duty Waist Strap</b> |           |           |     |
| 4118   | C34106511 | 24" x 18" | Ea  |
| <b>Bib Apron</b>                               |           |           |     |
| 4236   | C34106591 | 24" x 36" | Ea  |
| 4242   | C34106601 | 24" x 42" | Ea  |
| 4248   | C34106611 | 24" x 48" | Ea  |



4236



## Flame-Retardant Cotton Jackets

Made from 9 oz., 100% cotton, flame-retardant Westex® FR7A®. Features snap fasteners and inside pocket. Offers protection from sudden flame exposure, sparks and light welding. 30" Length. Designed for light-duty welding only.

| ITEM #                               | ORDER #   | COLOR     | SIZES | UOM |
|--------------------------------------|-----------|-----------|-------|-----|
| <b>Flame-Retardant Cotton Jacket</b> |           |           |       |     |
| 6230-M                               | C34113051 | Green     | M     | Ea  |
| 6230-L                               | C34113041 | Green     | L     | Ea  |
| 6230-XL                              | C34121481 | Green     | XL    | Ea  |
| 6230-2X                              | C34113461 | Green     | 2XL   | Ea  |
| 6230-3X                              | C34113471 | Green     | 3XL   | Ea  |
| ◆ 6230B-L                            | C34112701 | Navy blue | L     | Ea  |
| ◆ 6230B-XL                           | C34121171 | Navy blue | XL    | Ea  |
| ◆ 6230B-2X                           | C34112731 | Navy blue | 2XL   | Ea  |
| 6230D-L                              | C34112821 | Orange    | L     | Ea  |
| 6230D-XL                             | C34121291 | Orange    | XL    | Ea  |
| 6230D-2X                             | C34112851 | Orange    | 2XL   | Ea  |
| ◆ 6230D-3X                           | C34112861 | Orange    | 3XL   | Ea  |



## Combination FR Cotton Torso and DualTec FR Sleeves

Body made of 9 oz., 100% cotton, Westex® FR7A® cool and comfortable fabric. Designed to self-extinguish, and will not shrink, melt or drip molten residues. Flame-retardant and washable up to 50 home or 25 commercial washings. Features inside pocket and anodized button snaps to prevent arc flashback.

Sleeves made of 9 oz., 40% Twaron®/60% Lenzing FR® fabric. "Leather like" performance, but lighter and cooler. Permanently flame-retardant, and meets cut resistance standard EN388 Level 2. Meets NFPA Category 2 ARC resistance.

Designed for light-duty welding only. Must keep clean to insure protection.



9730

| ITEM #                               | ORDER #   | SIZES | UOM |
|--------------------------------------|-----------|-------|-----|
| <b>Combo FR Torso and FR Sleeves</b> |           |       |     |
| ◆ 9730M                              | C34197301 | M     | Ea  |
| 9730L                                | C34197311 | L     | Ea  |
| 9730XL                               | C34197321 | XL    | Ea  |
| 97302X                               | C34197341 | 2XL   | Ea  |
| 97303X                               | C34197351 | 3XL   | Ea  |



## Flame-Retardant Cotton Cape Sleeves and Bib

Made from flame-retardant, 9 oz., 100% cotton, Westex® FR7A®. Cape sleeves protect shoulders, upper chest and arms from sudden flame exposure and sparks while increasing ventilation on back. Feature snap fasteners. Washable. Designed for light-duty welding only. Cape sleeves and bibs sold separately. Green.

| ITEM #   | ORDER #   | DESCRIPTION                        | SIZES | UOM |
|----------|-----------|------------------------------------|-------|-----|
| 6221L    | C34112321 | Flame-retardant cotton cape sleeve | L     | Ea  |
| 6221XL   | C34121121 | Flame-retardant cotton cape sleeve | XL    | Ea  |
| ◆ 62212X | C34112601 | Flame-retardant cotton cape sleeve | 2XL   | Ea  |
| ◆ 62213X | C34112611 | Flame-retardant cotton cape sleeve | 3XL   | Ea  |
| 6120     | C34111451 | Flame-retardant cotton bib         | 20"   | Ea  |




6221 & 6120



## Flame-Retardant Cotton Jacket with Leather Sleeves

Royal blue, 9 oz. 100% cotton Westex® FR7A® torso with side-split cowhide sleeves sewn with Kevlar® thread. Features (1) soapstone pocket on each sleeve and (1) inside pocket. 30" Length.

| ITEM #   | ORDER #   | DESCRIPTION                         | SIZES | UOM |
|----------|-----------|-------------------------------------|-------|-----|
| ♦ 9230M  | C34118031 | FR cotton jacket w/ leather sleeves | M     | Ea  |
| 9230L    | C34118021 | FR cotton jacket w/ leather sleeves | L     | Ea  |
| 9230XL   | C34122091 | FR cotton jacket w/ leather sleeves | XL    | Ea  |
| 92302X   | C34118051 | FR cotton jacket w/ leather sleeves | 2XL   | Ea  |
| ♦ 92303X | C34118061 | FR cotton jacket w/ leather sleeves | 3XL   | Ea  |



9230



## Leather Spats

Made from tough, premium side-split cowhide with rivet reinforced stress points. Sewn with Kevlar® thread. Adjustable straps secure protectors on shoes. Universal. Bourbon brown.



526

| ITEM # | ORDER #   | DESCRIPTION                                    | UOM |
|--------|-----------|--|-----|
| 526    | C34107251 | Leather spats, ankle high                      | Ea  |
| 528CL  | C34107461 | Leather spats w/ aluminum side bar, 15" length | Ea  |



## Flame-Retardant Cotton Sleeves

Offers protection from sudden flame exposure, light sparks and light-duty welding. Made from 9 oz., 100% cotton, Westex® FR7A®. Washable. 18" Length. Green.

| ITEM # | ORDER #   | DESCRIPTION  | UOM |
|--------|-----------|--|-----|
| 6217   | C34112031 | FR cotton sleeve w/ 2 1/4" external elastic at both ends | Pr  |
| 6218   | C34112091 | FR cotton sleeve, internal elastic at both ends          | Pr  |



6218



## FR Goatskin Sleeves

Premium top-grain goatskin from wrist to upper elbow protects key exposure areas from sparks and spatter with less bulk. Upper sleeve made from 9 oz. royal blue Westex® FR7A® FR cotton. Leather seams are sewn with Kevlar® thread for strength and heat resistance. Features 2 1/4" external elastic at both ends to secure sleeve to arm. 18" Leather/cotton length, 22" overall length.

| ITEM # | ORDER #  | DESCRIPTION         | UOM      |
|--------|----------|---------------------|----------|
| ♦ 9215 | C3419215 | FR Goatskin sleeves | 72 Pr/Cs |



9215



1155

### 1155 Insulated Extended Cuff Stick Welders Gloves

Premium, durable side split cowhide for strength. Cotton/foam-lined for moisture absorption and heat protection. Insulated extended cuff for added heat protection on forearms. Double reinforced wing thumb for extra strength on key stress areas to maximize wear and protection. Sewn with Kevlar® thread for added strength. Welted fingers protect stitching from burning and abrasion. 20" Length. Bourbon brown.

| ITEM #                     | ORDER # | SIZES | UOM |
|----------------------------|---------|-------|-----|
| <b>1155 Welders Gloves</b> |         |       |     |

◆ 1155L C34122731 L 12/Pk



750

### 750 Stick Welders Gloves

Premium top-grain elkskin gloves feature reinforced thumb, lock stitching with Kevlar® thread and welted fingers protect seams, unlined palm for added dexterity. Cotton/foam-lined back offers added heat protection and 14" length enhances safety. Pearl. 48/Cs.

| ITEM #                                  | ORDER #   | SIZES | UOM |
|---|-----------|-------|-----|
| <b>Top-Grain Elkskin Welders Gloves</b> |           |       |     |
| 750M                                    | C34116661 | M Pr  |     |
| 750L                                    | C34116651 | L Pr  |     |
| 750XL                                   | C34121841 | XL Pr |     |



850

### 850 Super Premium Deerskin Drivers Gloves

Premium top-grain elkskin features reinforced thumb, lock stitching with Kevlar® thread and welted fingers protect seams, unlined palm and cotton/foam-lined back. Molds to the hand and stays soft under higher heat conditions. Naturally resistant to oil and moisture; will not crack or stiffen like cowhide. 14" Length. Gold. 48/Cs.

| ITEM #                                       | ORDER #   | SIZES | UOM |
|--|-----------|-------|-----|
| <b>Gold Top-Grain Elkskin Welders Gloves</b> |           |       |     |
| 850M   | C34117541 | M Pr  |     |
| 850L   | C34117531 | L Pr  |     |
| 850XL  | C34121981 | XL Pr |     |



1000

### 1000 Shoulder Split Cowhide Stick Welders Gloves

Shoulder split cowhide with cotton lining for comfort. Features welted fingers and locked stitching with cotton thread. 14" Length. Pearl.

| ITEM #                           | ORDER # | SIZES | UOM |
|----------------------------------|---------|-------|-----|
| <b>1000 Stick Welders Gloves</b> |         |       |     |

1000L C34100451 L Pr



1075

### 1075 Stick Welders Gloves

Full featured welding glove with WE WELD AMERICA logo on cuff. Durable premium side split cowhide leather with cotton/foam lining for insulation. Features double reinforced thumb, welted fingers and lock stitching with Kevlar® thread for added strength. 14" Length. Red, blue and pearl. 48/Cs.

| ITEM #                                   | ORDER # | SIZES | UOM |
|--|---------|-------|-----|
| <b>Side Split Cowhide Welders Gloves</b> |         |       |     |

1075L C34100961 L Pr



1012

### 1012 Welders Gloves

Durable, economy select shoulder split cowhide with inner cotton lining and reinforced thumb. Lock stitching with Kevlar® thread for added strength. Welted fingers protect stitching. 14" Length. Russet. 48/Cs.

| ITEM #                                | ORDER # | SIZES | UOM |
|---------------------------------------|---------|-------|-----|
| <b>Economy Cowhide Welders Gloves</b> |         |       |     |

1012 C34100691 L Pr



1105WB



### 1105WB Small Hands Welders Gloves

Designed for smaller hands. Made from blue select shoulder split cowhide with cotton/foam lining for added heat protection. Lock stitching with Kevlar® thread for added strength. Weltd fingers protect stitching. 12" Length. Blue. 48/Cs.

| ITEM #                            | ORDER #   | SIZES | UOM |
|-----------------------------------|-----------|-------|-----|
| <b>Small Hands Welders Gloves</b> |           |       |     |
| 1105WB-XS                         | C34118751 | XS    | Pr  |



1018



### 1018 Stick Welders Gloves

Durable, slightly select shoulder split cowhide insulated with cotton/foam lining for added heat protection. Weltd fingers protect stitching. Lock stitched with Kevlar® thread for added strength. Reinforced thumb. 14" Length. Blue.

| ITEM #                           | ORDER #   | SIZES | UOM |
|----------------------------------|-----------|-------|-----|
| <b>1018 Stick Welders Gloves</b> |           |       |     |
| ◆ 1018L                          | C34100781 | L     | Pr  |
| ◆ 1018XL                         | C34122491 | XL    | Pr  |



1250



### 1250 Premium Cowhide Split Stick Welders Gloves

Durable, premium side split cowhide with cotton/foam lining for insulation. Double reinforced thumb. Weltd fingers protect stitching. Lock stitched with Kevlar® thread for added strength. 14" Length. Blue. 48/Cs.

| ITEM #                                   | ORDER #   | SIZES | UOM |
|--|-----------|-------|-----|
| <b>Side Split Cowhide Welders Gloves</b> |           |       |     |
| 1250M                                    | C34101321 | M     | Pr  |
| 1250L                                    | C34101301 | L     | Pr  |
| 1250XL                                   | C34101271 | XL    | Pr  |



1488



### 1488 TrueFit™ TIG Welders Gloves

Top-grain goatskin palm and back for superior feel and dexterity. Black Kevlar® stretch inserts flex to the contours of the hand for a snug fit. Sewn entirely with Kevlar for strength and heat resistance. Features short, contoured cuff and internal elastic for a secure fit. Super "V" thumb design enhances fit. Safe to TIG weld. No spandex. 72/Cs.

| ITEM #                    | ORDER #   | SIZES | UOM   |
|---------------------------|-----------|-------|-------|
| <b>TIG Welders Gloves</b> |           |       |       |
| ◆ 1488M                   | C34100305 | M     | 12/Pk |
| ◆ 1488L                   | C34122695 | L     | 12/Pk |
| ◆ 1488XL                  | C34122705 | XL    | 12/Pk |



24C



### 24C TIG Welders Gloves

Premium top-grain kidskin leather enhances feel and dexterity. Features straight thumb, lock stitching with Kevlar® thread for added strength and 4" cuff for added protection. Unlined. Pearl. 72/Cs.

| ITEM #                    | ORDER #   | SIZES | UOM |
|---------------------------|-----------|-------|-----|
| <b>Kidskin TIG Gloves</b> |           |       |     |
| 24CS                      | C34105161 | S     | Pr  |
| 24CM                      | C34105151 | M     | Pr  |
| 24CL                      | C34105141 | L     | Pr  |
| 24CXL                     | C34119951 | XL    | Pr  |

◆ Non-stock item. Minimum quantity may apply.





24D



### 24D TIG Welders Gloves

Premium top-grain kidskin leather enhances feel and dexterity. Features straight thumb, lock stitching with Kevlar® thread for added strength and 2" cuff for added protection. Unlined. Pearl. 72/Cs.

| ITEM #                    | ORDER #   | SIZES | UOM |
|---------------------------|-----------|-------|-----|
| <b>Kidskin TIG Gloves</b> |           |       |     |
| ◆ 24DS                    | C34105201 | S     | Pr  |
| 24DM                      | C34105191 | M     | Pr  |
| 24DL                      | C34119971 | L     | Pr  |
| ◆ 24DXL                   | C34120001 | XL    | Pr  |



1328



### 1328 TIG Welders Gloves

Top-grain goatskin leather enhances feel and durability. Features 4" cuff, seamless index finger, wing thumb and lock stitching with Kevlar® thread for added strength. Pearl. 72/Cs.

| ITEM #                             | ORDER #   | SIZES | UOM |
|------------------------------------|-----------|-------|-----|
| <b>Goatskin TIG Welders Gloves</b> |           |       |     |
| ◆ 1328S                            | C34101621 | S     | Pr  |
| 1328M                              | C34101611 | M     | Pr  |
| 1328L                              | C34101601 | L     | Pr  |
| 1328XL                             | C34118871 | XL    | Pr  |



30



### 30 TIG Welders Gloves

Top-grain pigskin resists oil and water. Features straight thumb, 4" cuff and lock stitching with Kevlar® thread for added strength. Pearl. 72/Cs.

| ITEM #                            | ORDER #   | SIZES | UOM |
|-----------------------------------|-----------|-------|-----|
| <b>Pigskin TIG Welders Gloves</b> |           |       |     |
| 30M                               | C34105741 | M     | Pr  |
| 30L                               | C34105731 | L     | Pr  |
| 30XL                              | C34120211 | XL    | Pr  |



More Glove Products start on page 96.



48



### 48 Insulated MIG Gloves

Top-grain goatskin palm and cowhide split back resists heat. Fleece-lined for added protection. Features straight thumb, elastic back, 3 1/2" cuff, thumb strap for extra strength and Kevlar® stitching for seam protection. Brown and pearl. 72/Cs.

| ITEM #                      | ORDER #   | SIZES | UOM |
|-----------------------------|-----------|-------|-----|
| <b>Insulated MIG Gloves</b> |           |       |     |
| 48M                         | C34123481 | M     | Pr  |
| ◆ 48L                       | C34123491 | L     | Pr  |
| 48XL                        | C34123501 | XL    | Pr  |



42



### 42 Pigskin MIG Welders Gloves

Made from premium heavyweight top-grain pigskin with foam-lined back. Great in wet and oily conditions. Features unlined palm for dexterity, 4" cuff, straight thumb with added reinforcement strap and lock stitching with Kevlar® thread for added strength. Brown. 72/Cs.

| ITEM #                    | ORDER #   | SIZES | UOM |
|---------------------------|-----------|-------|-----|
| <b>Pigskin MIG Gloves</b> |           |       |     |
| 42M                       | C34106551 | M     | Pr  |
| 42L                       | C34106541 | L     | Pr  |
| ◆ 42XL                    | C34120481 | XL    | Pr  |



1350



### 1350 MIG Welders Gloves

Heavy-duty top-grain cowhide MIG welding gloves, unlined with 4" cuff for added protection. Features wing thumb and seamless forefinger for comfort. Lock stitched with Kevlar® thread for added strength. Pearl. 72/Cs.

| ITEM #                            | ORDER #   | SIZES | UOM |
|-----------------------------------|-----------|-------|-----|
| <b>Cowhide MIG Welders Gloves</b> |           |       |     |
| 1350S                             | C34101761 | S     | Pr  |
| 1350M                             | C34101751 | M     | Pr  |
| 1350L                             | C34101741 | L     | Pr  |
| 1350XL                            | C34118961 | XL    | Pr  |



50



### 50 MIG Welders Gloves

Top-grain cowhide palm with cowhide split reinforcements and cowhide split back with elastic for best fit. Features top-grain seamless index finger, fleecve lining and 4" cuff for added protection. Sewn with Kevlar® thread for strength and heat resistance. Brown and pearl. 36/Cs.

| ITEM #                            | ORDER #   | SIZES | UOM |
|-----------------------------------|-----------|-------|-----|
| <b>Cowhide MIG Welders Gloves</b> |           |       |     |
| 50M                               | C34150501 | M     | Pr  |
| 50L                               | C34124501 | L     | Pr  |
| 50XL                              | C34124511 | XL    | Pr  |



550



### Standard Double-Layer Backhand Pad

Offers double-layer protection with aluminized carbon Kevlar® top and vermiculite-coated fiberglass bottom. Features leather and elastic straps. Measures: 5 1/2" W x 7 1/2" H. 240/Cs.

| ITEM #                                    | ORDER #   | UOM |
|---|-----------|-----|
| <b>Standard Double-Layer Backhand Pad</b> |           |     |
| 550                                       | C34108001 | Ea  |



550X



### Economy Double-Layer Backhand Pad

Offers double-layer protection with an aluminized rayon top and acrylic-coated fiberglass bottom. Features leather and elastic straps. Measures: 5 1/4" W x 7 1/2" H. 240/Cs.

| ITEM #                                   | ORDER #   | UOM |
|--|-----------|-----|
| <b>Economy Double-Layer Backhand Pad</b> |           |     |
| 550X                                     | C34108011 | Ea  |



554



### Premium Triple-Layer Backhand Pad

Designed to be worn over the back of a welding glove to provide extra protection in high-heat situations. Features aluminized carbon Kevlar® top, middle layer 1500° F melt ceramic wool, and acrylic-coated fiberglass bottom. Leather and elastic straps. Measures: 5 1/2" W x 7 1/2" H. 120/Cs.

| ITEM #                                   | ORDER #   | UOM |
|--|-----------|-----|
| <b>Premium Triple-Layer Backhand Pad</b> |           |     |
| 554                                      | C34108041 | Ea  |

◆ Non-stock item. Minimum quantity may apply.